## MERCK AND COMPANY, INC. 126 CALINCOLN AVE. Rahway/Union County

## NJ 6 00131 7064

Merck and Company, Inc. is an active facility which is involved in the manufacture of pharmaceuticals. They have been operating at this site in Rahway, Union County since 1903. Process wastewaters undergo pretreatment prior to discharge to the Rahway Valley Sewage Authority. Other wastewaters, which include cooling tower blowdown, non-contact cooling waters and plant runoff, are discharged without treatment, to Kings Creek via 3 outfall pipes.


This company is listed as a TSD (Treatment, storage and Disposal) facility. Hazardous waste is stored on site in containers and tanks; non-hazardous waste is treated in an incinerator on site.

A medium priority rating has been assigned to this facility as a result of the numerous chemical spills which have occurred on site. Surface water and air contamination from spills has been observed, yet no analytical data exists to confirm contamination. The potential for soil and ground water contamination exists.

Submitted by

Anne DeCicco - Env. Specialist NJDEP - HSMA RCRA 3012 Project **Potential Hazardous Waste Site** 






# **Preliminary Assessment**

Merck and Company, Inc. Rahway/Union County 126 E. Lincoln Ave

EPA ID # NJD001317064



POTENTIAL	HAZARDOUS	S WASTE SI	TE	I. IDENTIFICA	
	INARY ASSE			01 STATE 02 SIT	E NUMBER
PART 1 - SITE INF	ORMATION A	IND ASSESSI	MENT	<u> </u>	
II. SITE NAME AND LOCATION  O1 SITE NAME (Legal, common, of descriptive name of axe)					
	02 STR	EET, ROUTE NO., C	OR SPECIFIC LOCATION	IDENTIFIER	<del></del>
Merck and Company, Inc.	126	E. Linco	ln Avenue	•	
103 CITY	04 STAT	E 05 ZIP CODE	06 COUNTY		07 COUNTY 08 CONG
Rahway	LN	07065	Union		CODE DIST
D9 COORDINATES LATITUDE LONGITUDE					<u> </u>
40° 36' _12" 74° _15' _24".	_   •				•
Take Rt. 1 North to Rahway. Merck a		Inc. is	on the left	side.	
III. RESPONSIBLE PARTIES	<del></del>		· · · · · · · · · · · · · · · · · · ·	<del></del>	
01 OWNER (# anown)	02 STRE	ET (Business, meeng.	, residential)		<del></del>
Merck and Company Inc	ł		•		
Merck and Company, Inc.	04 STAT	Box 2000 E 05 ZIP CODE	06 TELEPHONE	NUMBER	
Rahway	ŊJ	07065	(201) 574		
07 OPERATOR (If anown and delerent from owner)	08 STRE	ET (Business, mailing,		4000	<del></del>
	ļ			. *	
09 CITY	10 STATE	E 11 ZIP CODE	12 TELEPHONE		<del></del>
			( )	IUMBER	
13 TYPE OF OWNERSHIP (Check one)		<u> </u>			··
A. PRIVATE D B. FEDERAL:	····	D C. STA*	TE DD.COUNTY	E. MUNICIP	) )
☐ F. OTHER:	Mie i		• • • • • • • • • • • • • • • • • • • •	w www.	-AL .
		□ G. UNK	.NOWN		<u> </u>
$\frac{1}{2}$ A. RCRA 3001 DATE RECEIVED: $\frac{2}{2}$ , $\frac{22}{83}$ $\square$ B. UNCON	NTROLLED WAST	TE SITE (CERCLA 1)	03 c) DATE RECEIVE	D:	C. NONE
TV. CHARACTERIZATION OF POTENTIAL HAZARD		<del></del>		month on the	;AH
DI ON SITE INSPECTION 2, 2, 77 XD A. EPA					<del></del>
D NO DATE MONTH DAY YEAR DE LOCAL HEALT		ACTOR L D F. OTHER: _		D. OTHER CONT	TRACTOR B2
CONTRACTOR NAM  D2 SITE STATUS (Check one)					
A. ACTIVE B. INACTIVE C. UNKNOWN	1903			UNKNOWN	14
04 DESCRIPTION OF SUBSTANCES POSSIBLY PRESENT, KNOWN, OR ALLEGED	BEGINNING Y		G YEAR	<del> </del>	<del></del>
These substances were involved in sp	ill event	s: Ammon	ia. Thiober	idazole ('	TR7) .
Cobail Catalyst, Sodium Thiocyanate.	ortho-di	ichloro b	enzene. M-x	rulene.	104)
sulfuric acid		Refer	to attache	.yrene,	
05 DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND/OR POPULATIO	<u> </u>				
Possible contamination of soil and su	w urface wa	iters (Ki	nge Crook &	Dobrzozz I	D-1\
from numerous chemical spills.	uu	icera (ic	iigs creek a	Kanway i	kiver)
Possible groundwater contamination for	rom chemi	ical enil	1 Dofor		
	Tom Citema	Car Shir	IS. Kerer	to attcl	1. A2
V. PRIORITY ASSESSMENT					
1) PRIORITY FOR INSPECTION (Check one. If ruph or measure at checked, complete Part 2 - Wa	asie information and Par	ri 3 - Description of Ha.	zardous Conduons and Incide	rnts)	
(inspection required promptly)  A High (inspection required promptly)  (inspection required)  C. LOW (inspection required)	ct on time evalable basis	D. NON			n)
VI. INFORMATION AVAILABLE FROM	•				
Jim Bell, Hazardous Waste 02 OF (Appency)	//Organization)			03 TE	LEPHONE NUMBER
Engineer NJDEP	- Solid	Waste Adı	ministratio	n 160	9 292-9159
04 PERSON RESPONSIBLE FOR ASSESSMENT 05 AGENCY		NIZATION			<u>,,                                   </u>

NJDEP

HSMA

Ann DeCicco, Envir. Specialist

EPA FORM 2070-12 (7-81)

$\sim$	رجعو		_
	-	رد	Λ
6			_

# POTENTIAL HAZARDOUS WASTE SITE

1	Į.	IDENT	IFI	CAI	ION	
1	01	STATE	02	SITE	NUMB	£Α

PART 2 - WASTE INFORMATION	
II. WASTE STATES, QUANTITIES, AND CHARACTERISTICS	
D1 PHYSICAL STATES (Check of their apply) 02 WASTE QUANTITY AT SITE A 1 03 WASTE CHARACTERISTICS (Check of their apply)	,
Vi A. SOLID   D. E. SLURRY   O. WASTE CHARACTERISTICS (Check as theil apply)	
CUBIC YARDS 710 LI C. RADIOACTIVE LI G. PLANMABLE DA. R. REACTIVE LI C. PLANMABLE DA. R. REACT	
© D. OTHER NO. OF DRUMS 4117	į
III. WASTE TYPE	
CATEGORY SUBSTANCE NAME 01 GROSS AMOUNT 02 UNIT OF MEASURE 03 COMMENTS	
SLU SLUDGE	
OLW OILY WASTE	;
SOL SOLVENTS 1053.5 Tons This amount determined from Al	
PSD PESTICIDES	•
OCC OTHER ORGANIC CHEMICALS	
IOC INORGANIC CHEMICALS	
ACD ACIDS	
BAS BASES	;
MES HEAVY METALS 202 Tons This amount determined from Al	• •
IV. HAZARDOUS SUBSTANCES (See Appendix for most frequently ched CAS Numbers)	Ţ
01 CATEGORY D2 SUBSTANCE NAME D3 CAS NUMBER 04 STORAGE DISPOSAL METHOD 05 CONCENTRATION CONCENTRATION	*
BAS Ammonia 7664-41-7	•
OOC Poly-Chlorinated Bipenols 1336-36-3) SPILLED SUBSTANCE	*
MES Cobalt 7440-47-3 REFER TO A2	ţ
doc Sodium Thiocyante 999	
SOL Chlorform 67-66-3	
SOL Methylene Chloride 75-09-2	
SOL 1,1,2,2 Tetrachloroethane79-34-5 GENI	ERAL IN
1007 11/ 7:11 1 100/07	& A2
SOL Formaldehyde 50-00-0	
SOL Aniline 62-53-3	•
SOL Benzene 71-43-2	
SOL Toluene 108-88-3	;
OOC Propylene Oxide 75-56-9	į
00C 2-Chlorophenol 95-57-8	ì
00C Phosgene 75-44-5	į
HES Zinc Powder/Zinc Chloride 7440-66-6	
V. FEEDSTOCKS (See Appendix for CAS Numbers)	
CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER	į
FDS FDS	İ
FDS FDS	;
FDS FDS	-
FDS FDS	·i
VI. SOURCES OF INFORMATION (Cite surecitic reterionces, e.g., state tites, saniple analysis, reports.)	
B2, - NJDEP-Division of Water Resources; Central file: Kathy Locane 292-5602	
General InfI: Industrial Survey Project: Rose Tuccillo 984-3026	
Al,2, General Info: NJDEP-Division of Waste Management-Tony Cavalier: 292-5196	

Additional Spill Incidents: EPA File, Paul Elliot, EPA, Edison, NJ

EPA FORM 2070-12 (7-61)

**≎EPA** 

# POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I. IDENTIFICATION 01 STATE 02 SITE NUMBER

II. HAZARDOUS CONDITIONS AND INCIDENTS	DO TO ODDEDUCE (DATE)	[¥POTENTIAL	□ ALLEGED
01 & A. GROUNDWATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: 144*	02 OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION		
There have been numerous seriou	s spill events recorded	at this facil	ity - A2
*Represents the population served b [38x3.8-144.4] A6	y 38 wells in the Rahway	and Linden C	ommunities.
01 DAB. SURFACE WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: 0*	02 X OBSERVED (DATE: 2-7-77 ) 04 NARRATIVE DESCRIPTION	[] POTENTIAL	C ALLEGED
Othodichlorobenzene (ODCB) Was ob	served at the creek bed	of Outfall 00	3. B
	1		cohorage to
In addition, there have been nume Kings Creek. B *Downstream of the zones.	e Merck Site, Kings Cree	k flows throu	igh industria
01 % C. CONTAMINATION OF AIR 03 POPULATION POTENTIALLY AFFECTED: 125,445* A spill of 2-Mercapto-4-Methyl T	02 EXOBSERVED (DATE: 10-24-82) 04 NARRATIVE DESCRIPTION	[] POTENTIAL roduced odors	© ALLEGED
in the local community as well a	niazore occured, which p	Bridge commu	nities. Othe
odors, ie, Ammonia, TBZ have bee	n observed also-Reter to	Attachments	C.
*Combined population of Rahway.	Linden, Old Bridge and S	ayreville.	
01 [] D. FIRE/EXPLOSIVE CONDITIONS 03 POPULATION POTENTIALLY AFFECTED:	02 [] OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL	[] ALLEGED
		÷.	
01 E. DIRECT CONTACT D3 POPULATION POTENTIALLY AFFECTED:	02 · CESERVECHEATE	( POTENTIAL :	ALLEGED
		en de la companya de	*
		<del></del>	
01 EF. CONTAMINATION OF SOIL 210*	02 D OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	[ <b>Š</b> POTENTIAL	D ALLEGED
Numerous incidents of hazardous	s chemical spills have be	en observed	
* Acreage of Merck and Co., Inc	e. Facility		
ATTACHMENT A, B, AND C, AND		D POTENTIAL	I ALLEGED
01 LJ G. DRINKING WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 [] OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	. D POTENTIAL	LI ALLEGES
. •			
01 色 H. WORKER EXPOSURE/INJURY 03 WORKERS POTENTIALLY AFFECTED: 3500*	02 D OBSERVED (DATE:	) D <sub>X</sub> POTENTIAL	□ ALLEGED
As evidence by the numero	us serious spill events a Loyees at this plant site	at this site.	
ATTACHMENTS A,B AND			
01 (1) I. POPULATION EXPOSURE/INJURY 03 POPULATION POTENTIALLY AFFECTED:	02 LI OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	D POTENTIAL	☐ ALLEGED
			*, * *

$\mathbf{\Omega}$	۱	
		$ \boldsymbol{A}$

EPA FORM 2070-12 (7-81)

## POTENTIAL HAZARDOUS WASTE SITE

ı.	IDENT	IFI	CAT	ION	
01	STATE	02	SITE	NUMBER	ì

PRELIMINARY ASSESSMENT PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND	INCIDENTS 01 STATE 02 SITE NUMBER
II. HAZARDOUS CONDITIONS AND INCIDENTS (Continued)	<del></del>
01;© J. DAMAGE TO FLORA 02 D OBSERVED (DATE:	) Ø POTENTIAL   ALLEGED
Possible flora damage, as a result of observed oil and discharges of low PH along Kings Creek ATTACH	•
01	) D POTENTIAL D ALLEGED
01 □ L. CONTAMINATION OF FOOD CHAIN 02 □ OBSERVED (DATE:04 NARRATIVE DESCRIPTION	) D POTENTIAL D ALLEGED
01 CxM UNSTABLE CONTAINMENT OF WASTES (Spectranotivistaling square/searing aruns) 03 POPULATION POTENTIALLY AFFECTED: 3500*  A spill occurred as a result of a leak in a 20,000 tank. Other spills from insecure containment of wa represents production employees	gl. sulfuric acid storage,
*TEPRESENTS PRODUCTION EMPTOYEES  01 D N DAMAGE TO OFFSITE PROPERTY  04 NARRATIVE DESCRIPTION  05 D OBSERVED (DATE:	E D POTENTIAL D ALLEGED
01 D CONTAMINATION OF SEWERS, STORM DRAINS, WWTPs 02 D OBSERVED (DATE:04 NARRATIVE DESCRIPTION	) DPOTENTIAL DALLEGED
01 □ P. ILLEGAL/UNAUTHORIZED DUMPING 02 □ OBSERVED (DATE:04 NARRATIVE DESCRIPTION	) D POTENTIAL D ALLEGED
05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS	(ATTACHMENT)
ALLEGED CYANIDE CONTAMINATION OF KINGS CREEK	(All relation)
II. TOTAL POPULATION POTENTIALLY AFFECTED:	
V. COMMENTS	
V. SOURCES OF INFORMATION (Cive specific references, e.g., state files, sample analysis, reports)	
A2,B,C,D,E,F-NJDEP-Division of Water Resources, Centr A4.ClNJDEP-Division of Waste Management-Yardv A5-Rahway Health Department, Inspector Buchanan-(201) A6-Linden Health Department, Mr. Henry Gayan, (H.O.)	ille: 292-9592 381-3800



2160


OFFICE OF THE COMMISSIONER



## State of New Jersey Department of Environmental Protection

Return forms to:

INDUSTRIAL SURVEY PROJECT P.O. BOX 251 TRENTON, NEW JERSEY 08602



## SELECTED SUBSTANCE REPORT

	OMPLETE ONE REPORT FOR EACH PLANT SITE OR FACILITY LOCATION	•
	Company NameMerck & Co., Inc.	
	Division or Plant Name Merck Chemical Manufacturing Division	
з.	Mailing Address (Street) 126 E. Lincoln Avenue	
	(City/Town) Rahway County Union N.J. Zip Code	07065
4.	Plant Location Address (Street) Same as above	
	(If not as above) (City/Town)StateZip Code	
5.	Date Plant Began Constitute At This I seeking 1903	:
	Person to Contact Regarding this Report Tom Puchalski Title _Environmental Con	
	Phone Number (Area Code) (201) 574-5361	
	SIC Code (Four Digit) Standard Industrial Classification (if available)	· ;
	Nature of Business Pharmaceuticals	
	2500	<del>- '</del>
).	Number of Production Employees at this Plant Site	
1	Does this plant manufacture, process, form, repackage, release, use, dispose of or store any of the selected shown on Table I of the enclosed instructions? (Check One) YES $\overline{X}$ NO	substances
	If your answer to number 11 is "YES", complete the Entire Report for your facility, sign and return.	
	If you: answer to number 11 is "NO", complete Question 15, sign and return.	
ш	EDEDY CEDTIEV THAT ALL STATEMENTS MADE BY ME IN THIS DEDOCT AND THE SAME AND THE	
0	EREBY, CERTIFY THAT ALL STATEMENTS MADE BY ME IN THIS REPORT ARE TRUE, COMPLETE AND THE BEST OF MY KNOWLEDGE AND THAT ESTIMATES WHERE USED HAVE BEEN MADE IN GOOD FAIT	O CORRECT H.
۱A	ME (Print) Tom Puchalski Signature Tom Puchalshi	
Γit	Superintendent of Environmental Control Iuno 23 1980	) )
	Sketch (On the reverse side of this page) or attach a copy of a map indicating the exact location of the plan	t site
	Supply your Dun & Bradstreet number if available.	. 3116.
_ 1	FOR OFFICIAL USE ONLY	
	5624 s 2833 N 44957	
3	501 0 1978 12	
	O ×	<u>]</u>
,	D&B 00/3/7064	7
•		ا <u>ل</u>
	00555/01	•
	00555601 3,582 125 2833	
ZE	RTH TO RE HARRINGTON INC	
N	WBOY COLUMBUS OHIO 07065	
C		

ART I - General Information (continue)  List all of the selected substances include in this report along with their CAS Numbers (From 1984) of the Instructions) which are manufactured, processed, formed, repackaged, released, and classes of a story at the plant site:  Propy transport (processed) from the plant site:  Propy transport (processed)	List a! of the selected substances included in this report along with their CAS Numbers Table I of the Instructions) which are manufactured, processed, formed, repackaged, released, disposed of or stored at the plant site:  Chloroform 67-66-3  Propylene Oxide 75-56-9  Methylene Chloride 75-09-2  2-Chlorophenol 95-57-8  1,1,2,2 Tetrachloroethane 79-34-5  Phosgene 75-44-5  1,4 Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Benzene 71-43-2  Toluene 108-88-3  Sinc Powder 7440-66-6	s (From ased,	m and		4	0	ac	12	
Security Consists of: (X) Process water. () Contact Cooling. (X) Non-Contact Cooling. (X) Social Water (X) S	Chloroform 67-66-3  Propylene Oxide -75-56-9  Methylene Chloride 75-09-2  2-Chlorophenol 95-57-8  1,1,2,2 Tetrachloroethane 79-34-5  Phosgene 75-44-5  1,4 Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Benzene 71-43-2  Toluene 108-88-3  Zinc Powder 7440-66-6	s (Fromassed,	m			1	T +		1
Propylene Oxider-05-56-99  Propylene Oxider-05-56-99  2-Chlorophenol 95-57-8  1.1-2.2 Tetrachloroethane 79-34-5 Phosgene 75-44-5  1.4. Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Benzene 71-43-2  Coluene 108-88-3  Benzene 71-43-2  Coluene 108-88-3  Benzene 71-43-2  Coluene 108-88-3  Eninc Powder 7440-66-6  Bastewater Discharges - Complete the following information: See Attachment  Discharge to pickly owned treatment works (POTN):  1. Name of Unitity (POTN). Rahivay Valley:  1. Name of Unitity (POTN). Rahivay Valley:  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1. Owner of Wastewater Oxider of Wastewater Discharged to POTW in a day  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  2. Souther wastewater oxide to the Color of Wastewater Oxider oxider of Wastewater Oxider	Methylene Chloride 75-09-2  1,1,2,2 Tetrachloroethane 79-34-5  1,4 Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Benzene 71-43-2  Coluene 108-88-3  Cinc Powder 7440-66-6	ased,	alle and a second		+	#	+	$\prod$	7
1,4.2.2 Tetrachloroethane 79-34-5 Phosgen 75-44-5  1,4 Dichiorobenzene 106-46-7  Formaldehyde 50-00-0  Amiline 62-53-3  Amiline 62-53-3  Amiline 62-53-3  Amiline 62-53-3  Amiline Powder 7440-66-6  Amiline Powder	1,1,2,2 Tetrachloroethane 79-34-5 Phosgene 75-44-5  1,4 Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Benzene 71-43-2  Foluene 108-88-3  Zinc Powder 7440-66-6	42.00	ales -		1	1	+	ΕŢ	T
1.1.4. 2. Tetrach1oroethane 79-34-5 Phosgen 75-44-5  1.4. Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Aninc Powder 74-40-66-6  Simc Chloride 7440-66-6  Simc Chloride 7440-66-6  Siewatse Discharges - Complete the following information: See Attachment  Discharge to publicly owned testment works (POTW):  1. Name of Unitry (POTW) Rahway Valley  Address/Location Rehway, New Jersey  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1,000,000 gallons.  3. Briefly describe any pretreatment methods None  3. Greek  Wastewater Consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact  Cooling, (X) Comestic Sewage, (X) Contaminated Storm Water, (X) Washdown Water, (S) Greek  (X) Scrubber Water, () other;  Scharge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream  Kange Creek  Manual Receiving Stream  Kinge Creek  Manual Receiving Stream  Kinge Creek  Manual Receiving Stream  Name of Receiving Stream Kinge Creek  Manual Receiving Stream Kinge Creek  Manual Receiving Stream (None)  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Schill Stream (None)  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Wastewater consists of	1,1,2,2 Tetrachloroethane 79-34-5 Phosgene 75-44-5  1,4 Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Benzene 71-43-2  Foluene 108-88-3  Zinc Powder 7440-66-6				士	4		1	+
1.4 Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Senzene 71-43-2  Toluene 108-88-3  Line Powder 7440-66-6  Line Chloride 7440-66-6  Line Chloride 7440-66-6  Jisconstance to publicly owned treatment works (POTW):  1. Name of Utility (POTW), Rahway, New Jersey  2. Estimated Average Volume of Wastswater Discharged to POTW in a day  1,000,000  gallons.  3. Briefly describe any pretreatment methods  None  Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Marker, () Others  Cooling, (X) Contact Sewage, (X) Contaminated Storm Water, (X) Washdown Water.  Wastewater describe any treatment methods  None  Line Of Receiving Stream  Kings Creek  NPDES Permit Number  NIO002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  Siriefly describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Marker, () Others  Siriefly describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Marker, () Others  Siriefly describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Marker, () Others  Siriefly describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Marker, () Others  Siriefly describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Marker, () Others  Siriefly describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Marker, () Others  Siriefly describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Marker, () Others  Siriefly describe any treatment methods  None  Siriefly describe any treatment methods  None  Siriefly describe an	1,4 Dichlorobenzene 106-46-7  Formaldehyde 50-00-0  Aniline 62-53-3  Benzene 71-43-2  Foluene 108-88-3  Zinc Powder 7440-66-6			II.		- 1	+	-	4
Formaldehyde 50-00-0 Aniline 62-53-3 Benzene 71-43-2 Coluene 108-88-3 Zinc Powder 7440-66-6 Zinc Chloride 7440-66-6 Zinc Chlor	Formaldehyde 50-00-0 Aniline 62-53-3 Benzene 71-43-2 Foluene 108-88-3 Zinc Powder 7440-66-6		: -	·T	$\int$	+	+-1		+
Address/Location Rehvay Valley  1. Name of Unitity (POTM) Rahvay Valley  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1.000,000  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1.000,000  3. Briefly describe any pretreatment methods  None  3. Spriefly describe any pretreatment methods  None  4. Address/Location  Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact  (X) Scrubber Water, () Other;  Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream  Kings Creek  NPDES Permit Number  NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  Scribily describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  (X) Scrubber Water, () Other;  Ischarge to Navigable Waterway or tributary Stream:  Name of Receiving Stream  Kings Creek  NPDES Permit Number  NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  Scribily describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  () Domestic Sevage, (X) Contaminated Storm Water, () Washdown Water,  Cooling, () Domestic Sevage, (X) Contaminated Storm Water, () Washdown Water,  VES [X] NO   Of   Of    Discriber Water, () Other;  YES [X] NO   Of   Of    Discriber Water, () Other;  YES [X] NO   Of   Of    Discriber Water, () Other;  Addisposal site (i.e. by land spreading or burial, landfilling, lagoon or sepage pit) either error of the several provide the following information for each disposal site. Use additional  Location of Site   On site    Discriber Water, () Other;  Sould Sould Sould Sould Water,   Other;  Yes [X] NO   Of   Of    Sould Sould Sould Sould Sould Water,   Other;  Yes [X] No   Of   Of    He provide the following information for each disposal site. Use additional	Aniline 62-53-3  Benzene 71-43-2  Foluene 108-88-3  Sinc Powder 7440-66-6		í	┝┼╸	T	T	耳	1	1
Aniline 62-53-3  Bensene 71-43-2  Toluene 108-88-3  Zinc Powder 7440-66-6  Inic Chloride 7440-6-	Aniline 62-53-3  Benzene 71-43-2  Foluene 108-88-3  Sinc Powder 7440-66-6	7	_	+	+	+	+-}	4	+-
Address/Location Rahvay Valley  1. Name of Utility (POTM) Rahvay Valley  2. Estimated Average Volume of Wastewater Discharged to POTW in a day 1.000,000  1.000,000  1.000,000  2. Estimated Average Volume of Wastewater Discharged to POTW in a day 1.000,000  3. Briefly describe any pretreatment methods  None  3. 999  1. Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Water, () Other;  1. Scharge to No.100  3. Briefly describe any pretreatment methods  None  3. 999  1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Benzene 71-43-2 Foluene 108-88-3 Sinc Powder 7440-66-6		I	士	士	$\uparrow$	+	+	+
Cooling, (X) Comestic Sewage, (X) Contaminated Storm Water, (X) Washdown Water, (X) Scrubber Water, () Other; School of Wastewater of School of Wastewater of School of Wastewater of School of Wastewater of School of Wastewater (X) Cooling, (X) Non-Contact (X) Scrubber Water, (Y) Contaminated Storm Water, (X) Washdown Water,	Foluene 108-88-3 Finc Powder 7440-66-6	•	-	+	$ \downarrow $			1	
Address/Location Rahway, New Jersey  1. Name of Utility (POTW), Rahway Valley Address/Location Rahway, New Jersey  2. Estimated Average Volume of Wastewater Discharged to POTW in a day 1,000,000 gallons.  3. Briefly describe any pretreatment methods None	inc Powder 7440-66-6	· :	- }	+	+-	H		4	L
Address/Location Rahway, New Jersey  1. Name of Utility (POTW), Rahway Valley  Address/Location Rahway, New Jersey  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1. None  3. Briefly describe any pretreatment methods  Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Water, () Other;  Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: (1) Process Water, (1) Contact Cooling, (X) Non-Contact  Wings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: (1) Process Water, (1) Contact Cooling, (X) Non-Contact  Wastewater consists of: (2) Process Water, (1) Contact Cooling, (X) Non-Contact  Sorubber Water, (1) Other;  1		1	·L	T		H	+	+-	
Discharges - Complete the following information: See Attachment  Discharge to publicly owned treatment works (POTW):  1. Name of Utility (POTW). Rahway Valley  1. Name of Utility (POTW). Rahway Valley  Address/Location Rahway, New Jersey  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1,000,000 gallons.  3. Briefly describe any pretreatment methods None  3. Briefly describe any pretreatment methods None  3. Briefly describe any pretreatment methods Storm Water, (x) Washdown Water, (x) Scrubber Water, () Other;  Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Scrubber Water, () Other  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Scrubber Water, () Other  See at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either exerting at the site.  1 See I No O Site  Disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes con	inc Chlorida 7440 ca			L	口		+	+	$\vdash$
Discharges - Complete the following information: See Attachment  Discharge to publicly owned treatment works (POTW):  1. Name of Utility (POTW). Rahway Valley  1. Name of Utility (POTW). Rahway Valley  Address/Location Rahway, New Jersey  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1,000,000 gallons.  3. Briefly describe any pretreatment methods None  3. Briefly describe any pretreatment methods None  3. Briefly describe any pretreatment methods Storm Water, (x) Washdown Water, (x) Scrubber Water, () Other;  Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Scrubber Water, () Other  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Scrubber Water, () Other  See at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either exerting at the site.  1 See I No O Site  Disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes containing any of the selecter of the proviously disposed of wastes con			1	-		T	1		
1. Name of Utility (POTW) Rahway, New Jersey 2. Estimated Average Volume of Wastewater Discharged to POTW in a day 1,000,000 1,000,000 1,000,000 1,000,000	A W. T. A. C. Old St. Albert St.	-	H	$\vdash$	+		+	+	1
1. Name of Utility (POTM)  Rahway, New Jersey  2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1,000,000  gallions.  None  3. 999  Briefly describe any pretreatment methods  None  3. 999  Wastewater consists of: (X) Process Water. () Contact Cooling. (X) Non-Contact (X) Scrubber Water. () Other.  Wastewater consists of: () Process Water. () Contact Cooling. (X) Non-Contact () Occoling. () Domestic Sewage. (X) Contaminated Storm Water. () Washdown Water.  Scrubber Water. () Other.   Discharges - Complete the following information:	· · · · · · · · · · · · · · · · · · ·		+	+	+	+	++	+	
Address/Location Rahway, New Jersey  2. Estimated Average Volume of Wastewater Discharged to POTW in a day 1,000,000 gallons.  3. Briefly describe any pretreatment methods None  3. Wastewater consists of: (X) Process Water. () Contact Cooling. (X) Non-Contact (X) Scrubber Water. () Other;  Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day 55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: () Process Water. () Contact Cooling. (X) Non-Contact () Discharge to Navigable Waters of Cooling. (X) Non-Contact () Scrubber Water. () Process Water. () Contact Cooling. (X) Non-Contact () Scrubber Water. () Contact Cooling. (X) Non-Contact () Scrubber Water. () Other:  Wastewater consists of: () Process Water. () Contact Cooling. (X) Non-Contact () Scrubber Water. () Other:  Wastewater consists of: () Process Water. () Contact Cooling. (X) Non-Contact () Scrubber Water. () Other:  Wastewater consists of: () Process Water. () Contact Cooling. (X) Non-Contact () Scrubber Water. () Other:  Wastewater consists of: () Process Water. () Contact Cooling. (X) Non-Contact () Scrubber Water. () Other:  Wastewater consists of: () Process Water. () Contact Cooling. (X) Non-Contact () Scrubber Water. () Other:  Wastewater consists of: () Process Water. () Contact Cooling. (X) Non-Contact () Scrubber Water. () Other:  Use and disposal site (i.e. by iand spreading or burial, landfilling, lagoon or seepage pit) either.  YES XI NO	to publicly owned treatment works (POTUS).	į.	П	コ	士	士	+	++	+
2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1,000,000  gallons.  3. Briefly describe any pretreatment methods  None  3. Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact (X) Scruber Water, () Other;  (X) Scruber Water, () Other;  Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream  Kings Creek  NPDES Permit Number  NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  Briefly describe any treatment methods  None  4, 00002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  None  4, 00002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  None  4, 00002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  None  4, 00002349  Assertive and the service and the servic	reality (POTW) Ranway Valley	,	H	$\perp$	T	I			+
2. Estimated Average Volume of Wastewater Discharged to POTW in a day  1,000,000  gallons.  3. Briefly describe any pretreatment methods  None  3. Priefly describe any pretreatment methods  Cooling, (X) Domestic Sewage, (X) Contaminated Storm Water, (X) Washdown Water,  (X) Scrubber Water, ( ) Other;  Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream  Kings Creek  NPOES Permit Number  NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  Briefly describe any treatment methods  None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact  Cooling, () Domestic Sewage, (X) Contaminated Storm Water, () Washdown Water,  I disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selector  YES X NO	Address/LocationRahway, New Jersey	/,	H	4	40	<b>44</b>	16	4	3
Briefly describe any pretreatment methods None  3, 999  Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Water, () Other; Scharge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  ND002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact () Other; Scharge to Navigable Water, () Contact Cooling, (X) Non-Contact () Scrubber Water, () Other; Idiposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter () Cooling, () Other; Idiposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either expected the following information for each disposal site. Use additional of site On site Physical State  State Solid	2. Estimated Average Volume of Wastewater Di		#	+	+	+	+-1	-	J
Briefly describe any pretreatment methods None  3, 999  Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact (X) Scrubber Water, () Other; Scharge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  ND002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact () Other; Scharge to Navigable Water, () Contact Cooling, (X) Non-Contact () Scrubber Water, () Other; Idiposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter () Cooling, () Other; Idiposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either expected the following information for each disposal site. Use additional of site On site Physical State  State Solid	1,000,000			+	+	+	1	+	+
Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact Cooling, (X) Domestic Sewage, (X) Contaminated Storm Water, (X) Washdown Water, (X) Scrubber Water, (X) Other; Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gailons.  Briefly describe any treatment methods None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact Cooling, () Domestic Sewage, (X) Contaminated Storm Water, () Washdown Water, I disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter YES NO O O O O O O O O O O O O O O O O O O		2.	17	1	0	0	di	di	10
Wastewater consists of: (X) Process Water, () Contact Cooling, (X) Non-Contact (X) Scruber Water, () Other:    Scharge to Navigable Waterway or Tributary Stream:   Name of Receiving Stream		2	+	1	$oldsymbol{\Gamma}$	口	二	I	
Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact Cooling, () Domestic Sewage, (X) Contaminated Storm Water, () Washdown Water, disposal practices (1930—1977). Has this plant previously disposed of wastes containing any of the selecter set at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either expended the following information for each disposal site. Use additional Cooling of Site On site  Physical State  State  Solid		<del>.)</del>	Ŧ	44	+-	H	$\bot$	$\perp$	
Scharge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: ( ) Process Water, ( ) Contact Cooling, ( X) Non-Contact Cooling, ( ) Domestic Sewage, ( X) Contaminated Storm Water, ( ) Washdown Water, disposal practices (1930—1977). Has this plant previously disposed of wastes containing any of the selecter est at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either est at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either est at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either est at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either est at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either est at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either est at any land disposal site. Use additional est this site was used Before 1971  Idea of the provided the following information for each disposal site. Use additional est this site site of the provided the following information for each disposal site. Use additional est this site of the provided the following information for each disposal site. Use additional est this site of the provided the following information for each disposal site. Use additional est this site of the provided the following information for each disposal site. Use additional est this site of the provided the following information for each disposal site. Use additional est this site of the provided the following information for each disposal site.	Wastawata	—  ·	+	+	$\vdash \vdash$	+		+-	_
Ischarge to Navigable Waterway or Tributary Stream:  Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: () Process Water, () Contact Cooling, (X) Non-Contact Cooling, () Domestic Sewage, (X) Contaminated Storm Water, () Washdown Water, and disposal practices (1930—1977). Has this plant previously disposed of wastes containing any of the selecter YES X NO O O O O O O O O O O O O O O O O O	Cooling, (X) Domestic Sawage Water, ( ) Contact Cooling	-[	1	[				+	<u> </u>
Name of Receiving Stream Kings Creek  NPDES Permit Number NJ0002348  Estimated average volume of wastewater discharged to receiving stream in a day  55,000 gallons.  Briefly describe any treatment methods None  Wastewater consists of: ( ) Process Water, ( ) Contact Cooling, ( X) Non-Contact Cooling, ( ) Domestic Sewage, ( X) Contaminated Storm Water, ( ) Washdown Water,  B disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter YES X NO  NO  O  O  O  O  O  O  O  O  O  O  O	The state of the s		П		丁	士	<del></del>	1-1	
Stream   Kings Creek	scharge to Navigable Waterway or Tributan Co.	_ H	$\vdash \vdash$	4	$ \downarrow $	$\perp$	-		
Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  Briefly describe any treatment methods  None  Wastewater consists of: ( ) Process Water, ( ) Contact Cooling, ( X) Non-Contact ( ) Scrubber Water, ( ) Other:  3 disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selected seat any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either expenses at any land of the selected site of the following information for each disposal site. Use additional landfilling information for each disposal site. Use additional site was used  Before 1971  Physical State  State  Solid	Name of Receiving Stream Kings Crost	H	$\dashv$	+	+	+	+	$\sqcup$	
Estimated average volume of wastewater discharged to receiving stream in a day  55,000  gallons.  Briefly describe any treatment methods  None  Wastewater consists of: ( ) Process Water, ( ) Contact Cooling, ( X) Non-Contact ( ) Scrubber Water, ( ) Other;  s disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selected sea at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either or  YES X NO  O O O O O O O O O O O O O O O O O	NPDES Permit Number NJ0002348	1,11	力	4t	7/4	7/1	+-4		_
Briefly describe any treatment methods None  Wastewater consists of: ( ) Process Water, ( ) Contact Cooling, ( ) Non-Contact Cooling, ( ) Domestic Sewage, (X) Contaminated Storm Water, ( ) Washdown Water, ( ) Scrubber Water, ( ) Other; still sold sposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter sea at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either expressed the following information for each disposal site. Use additional of site On site  Disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter year at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either expressed by a site of the selecter of the s	Estimated average volume			+	+	+	+		
Briefly describe any treatment methods None  Wastewater consists of: ( ) Process Water, ( ) Contact Cooling, ( ) Non-Contact Cooling, ( ) Domestic Sewage, (X) Contaminated Storm Water, ( ) Washdown Water, ( ) Scrubber Water, ( ) Other;  Is disposal practices (1930–1977). Has this plant previously disposed of wastes containing any of the selecter at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either and the provide the following information for each disposal site. Use additional Deproved the following information for each disposal site. Use additional Before 1971  Belected substances of the selecter of the physical site of the selecter of the se	55,000	8,1	20	2	2/2	3	4	8	
Wastewater consists of: ( ) Process Water, ( ) Contact Cooling, ( X) Non-Contact Cooling, ( ) Domestic Sewage, (X) Contaminated Storm Water, ( ) Washdown Water, ( ) Scrubber Water, ( ) Other;  s disposal practices (1930—1977). Has this plant previously disposed of wastes containing any of the selecter sea at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either of YES X NO		$_{2}$ $+$	+	+	Ţ	1:-			<del>-</del>
s disposal practices (1930—1977). Has this plant previously disposed of wastes containing any of the selected see at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either previously disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either previously NO	One None	<sup>3</sup> .H¢	210	ΊÇ	1-	0	5	5/2	5
s disposal practices (1930—1977). Has this plant previously disposed of wastes containing any of the selected see at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either previously disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either previously NO		tte	10	+	+	-	+	+	-
s disposal practices (1930—1977). Has this plant previously disposed of wastes containing any of the selected see at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either provide the following information for each disposal site. Use additional Location of Site On site  Description of Site Before 1971  Description of Site Before 1971  Description of Site State  Physical State  Solid	Vastewater consists of: ( ) Process Water ( )	"[	ľ	1	1 1		1	1 .,	
s disposal practices (1930—1977). Has this plant previously disposed of wastes containing any of the selected see at any land disposal site (i.e. by land spreading or burial, landfilling, lagoon or seepage pit) either provide the following information for each disposal site. Use additional Location of Site On site  Description of Site Before 1971  Description of Site Before 1971  Description of Site State  Physical State  Solid	) Scrubber Water ( ) Others ( X ) Contaminated Storm Water ( X ) Non-Contact	#	1	$\perp$		• .;	$\int$		
YES NO ON SITE	dispecal water,	H			I	•	1	1	
YES NO ON SITE	es at any land disposal site (i.e. by land appearing previously disposed of most and all sites are the sites of the sites	1	$\sqcup$			!_		_	•
YES X NO	Ol wastes containing or burial, landfilling, lagoon or seepa	g any ge nir	of t	he (	sele	cter		-	
Location of Site On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On site  On s	YES X NO C	,- pm,	, 511	UNOT	, <b>F</b>				
Before 1971  Blected substances of at this site  State  Solid	re provide the following information for each dispose	٠.							
elected substances of at this site  estos  Solid	Location of Site On site								
Physical State Solid									
Physical State  State  Solid									
Physical State  State  Solid	d site was used Before 1971								
Physical State  Solid	lected substances								
Solid	Physical >								
	8108								
Solid	Solid								
	Solid								
The state of the s									

#### SECTION C

#### WASTE CHARACTERISTICS

This section describes the chemical and physical nature of the hazardous waste (HW) stored at the Rahway site of Merck & Co., Inc., and the Waste Analysis Plan for evaluating the wastes to assure that sufficient information is available for their safe handling. The information submitted is in accordance with the requirements of 40 CFR 122.25 (a) and 40 CFR 264.13.

### C-1 CHEMICAL AND PHYSICAL ANALYSES [40 CFR 122.25(a) (2)]

Hazardous wastes are stored at the site in a variety of containers and a number of storage tanks. Hazardous wastes are also treated at the facility in two neutralization wastewater pretreatment tanks.

The wastes are generated from manufacturing, laboratory, and from pilot plant activities located throughout the site. Manufacturing is carried out in both dedicated (single product) and multipurpose facilities. Multipurpose facilities are designed to accommodate many processes. Depending upon such factors as regulatory and patent status, and the needs of the medical profession, pharmaceutical products may be added to or deleted from the production schedule or shifted from one process unit to another during designated periods of the year. It is clear that solvent waste eminating from multipurpose manufacturing facilities will vary. Combined solvent waste streams from multipurpose facilities will reflect the characteristics of this manufacturing activity in respect to quantity and composition.

Research activities embracing virtually all branches of medical science coupled with extensive quality control functions comprise the bulk of laboratory activities at the site. Small and large scale pilot plant activities also take place. By nature these operations will change on a daily basis, hence the waste streams will vary in respect to kind and quantity also on a daily basis.

The types of hazardous waste, the estimated annual quantity that may be generated, along with the type of storage and treatment process used is summarized in Section A. Because of the variability of the waste produced on site, Merck has, by necessity, chosen to classify and manage the waste by category. Waste handled in each HWM process are as follows:

#### C-la CONTAINERS

There are seven types of hazardous wastes stored in containers at the Rahway Plant: chlorinated spent solvents, non-chlorinated spent solvents, mixtures of chlorinated and non-chlorinated solvents, still bottoms from the recovery of various solvents, reactive wastes, discarded commercial chemicals and waste corrosives. The specific waste that can be stored in containers are listed in Table C-1. This list includes not only wastes that are currently handled, but also wastes that may be generated in the future as a result the extensive research/development activities.

Chlorinated spent solvents are generated from pilot plant, laboratory and production activities. Though the primary type of container used for storing these wastes is the 55-gallon drum, small glass bottles subsequently placed into fibre overpack drums are also used. Since flash points of the wastes may be less than 140°F, all chlorinated solvents are managed as ignitable waste, in compliance with all storage and operational requirements for ignitable hazardous wastes. The wastes are assigned the EPA HW Codes D-001 or F-002 as appropriate.

Non-chlorinated spent solvents are also generated in pilot plant, laboratory and production activities. Again the primary type of container used for storage is the fifty-five gallon drum. Smaller containers are stored in fiber overpack drums. Since the flash points of these wastes are less than 140°F, the non-chlorinated solvents are handled in a manner that fully complies with the requirements for managing ignitable wastes. These wastes are assigned the EPA HW Codes F003, F005 and D001 as required.

Still bottoms containing solvents capable of imparting a flash point of 140°F or less are generated from the recovery of various solvents as well as from experiments in the laboratory area. In general these wastes are listed Subpart D wastes having EPA HW code's F-002, F-003 and F-005, although in some cases they are classified D-001. Fifty-five gallon drums are the primary form of containment for these wastes which are managed in accord with the storage and operational requirements for ignitable hazardous wastes.

Reactive wastes may be generated from pilot plant, laboratory and production activities and are stored in fifty-five gallon drums as well as smaller containers which are segregated and kept in overpacks. These wastes are handled in a manner that will protect them from conditions that could cause the wastes to react and are assigned the EPA HW Code D-003.

Discarded commercial chemicals can be generated in all three areas. Small quantities of materials from laboratory activities are stored in small ampules or glass bottles and are placed in overpack drums. Large quantities of discarded commercial chemicals are stored in fifty-five gallon drums. These wastes are assigned specific EPA HW Codes as per 40 CFR261.33 and are stored in a manner that fulfills all the requirements in accord with the characteristics with the waste.

Waste corrosives (D002) are also generated throughout the site. These wastes are corrosive because they are either aqueous having a pH less than or equal to 2 or greater than or equal to 12.5, or are liquids which corrode steel at a rate greater than 0.250 inch per year at 55°C. Wastes not treated as discussed in C-lc are placed in individual containers, overpacked in fifteen gallon drums and kept segregated from other wastes.

Laboratory, pilot plant, and production activities also result in the generation of mixtures of chlorinated and non-chlorinated solvents that are stored in fifty-five gallon drums. Because of their ignitable characteristic (flash point less than 140°F) these mixtures are handled in a manner that fully complies with all requirements for ignitable hazardous wastes. These wastes are assigned EPA HW Codes D001, F002, F003 and F005 as appropriate.

#### C-1b TANKS

There are four types of hazardous waste stored in tanks at the Rahway site: non-chlorinated spent solvents, chlorinated spent solvents, mixtures of the chlorinated and non-chlorinated, and corrosive wastes. Wastes stored in tanks originate directly from a manufacturing process or from containers. Table C-2 lists the major solvents in the waste solvent holding tanks along with the respective flash points specific gravities. Since the wastes will frequently have flash points less than 140°F, all wastes are assigned the EPA HW Code D-001. In addition to D-001, other HW Codes are assigned based on composition.

Non-chlorinated wastes, chlorinated wastes and mixtures of both can be stored in any of the registered hazardous waste tanks at the site. All tanks are designed and operated to comply with the requirements for ignitable wastes.

Corrosive wastes (process waste waters) are handled in tanks TA-100A, TA-110, and TA-120 prior to being neutralized and sent off-site to a POTW. The wastes are aqueous and can have a pH of 2 or less or equal to or greater than 12.5 The wastes are consequently assigned the EPA HW Code D-002, but can also contain low levels of other hazardous wastes as indicated in Section A.

D84-T-D-1-1 through T-D-1-10 (Final)

# TABLE C-1. Hazardous Wastes for Drum Storage Merck & Company, Inc., - Rahway, N.J.

EPA Waste No.	• Description	
FOOL	The spent halogenated solvents used in degressing to ethylene, trichloroethylene, methylene, chloride, l, l-trichloroethane, carbon tetrachloride, and the chl fluorocarbons, and sludges from the recovery of thes degressing operations.	, l, lorinated
F002	The spent halogenated solvents, tetrachloroethylene, chloride, trichloroethylene, 1,1,1-trichloroethane, 1,1,2-trichloro-1,2,2-trifluoroethane, o-dichlorober trichlorofluoromethane, and the still bottoms from these solvents.	chlorobenzene, nzene,
F003	The spent non-halogenated solvents, xylene, acetone, ethyl benzene, ethyl ether, methyl isobutyl ketone, alcohol, cyclohexanone, and methanol, and the still the recovery of these solvents.	n-butyl
F004	The spent non-halogenated solvents, cresols and cresol nitrobenzene, and the still bottoms from the recover solvents.	
F005	The spent non-halogenated solvents, toluene, methyl isobutyl ketone, carbon disulfide, isobutanol, pyrid still bottoms from the recovery of these solvents.	
F001	3-(a-acetonylbenzyl)-4-hydroxycoumarin and salts.	
F002	N-(aminothioxamethyl)-acetamide	
F003	Acrolein	
F005	Aldrin	
F005	Allyl alcohol	
F006	Aluminum phosphide	`
F007	5-(aminomethyl)-3-isoxazolol	
F008	4-Aminopyridine	
F009	Ammonium picrate	
F010	Arsenic acid For entire list of	Hazardous Wastes for
F011	Arsenic pentoxide drum storage, refe	ir to the RCRA 3001
F012	Arsenic trioxide  by contacting Jim B  (609) 292 9959.	art 6. This is obtainable ell, Itaz. Waste Engineering

Table D-1. Dimensions and Maximum Capacities in Container Storage Areas (Excludes Areas to be Closed) Rahway, NJ

Area No.	Dimensions (ft)	Maximum Storage Capacity
1 <sup>a,b</sup>	25 x 25	80 drums
2 <sup>b</sup>	74 x 85	856 drums
3 <sup>d</sup>	100 x 100	1408 drums
4 <sup>a</sup>	10 x 15	12 overpack drums
5 <sup><b>a</b></sup>	10 x 10	8 overpack drums
6 <sup>a</sup>	15 x 75	72 overpack drums
7 <sup>a</sup>	20 x 58	160 drums
8 <sup>a</sup>	10 x 100	96 overpack drums
9 <b>a</b>	15 x 100	448 overpack drums
10 <sup>a</sup>	40 x 175	128 overpack drums
11 <sup>a</sup>	44 x 11	84 drums
12 <sup>a</sup>	Irregular 8 x 120 total	114 overpack drums
13	16 x 104	284 drums
14	13 x 60	132 drums
16	25 x 44	140 drums
18	21 x 44	116 drums
19	51 x 107	768 drums

<sup>&</sup>lt;sup>a</sup>Areas presently in compliance with RCRA Part B requirements

 $<sup>^{\</sup>mathrm{b}}\mathrm{Areas}$  holding predominantly solid wastes

dArea to be resurfaced

Table D-3. Tank Capacities and Dimensions Merck & Co., Inc., Rahway, NJ.

			Dimens	ions
			Overall Length	Diameter'
Tank No.	Type	Capacity (gal)	(ft - in)	(ft - in)
101	H,B	10,600	28 - 10	8 - 0
102	H,B	10,600	28 - 10	8 - 0
103	н,в.	10,600	28 - 10	8 - 0
104	H,B	10,600	28 - 10	8 - 0
105**	V,A	4,800	7 - 6**	10 - 3/4
100A	V,A	300,000	23 - 10	50 ID
110	V,A	300,000	23 - 10	50 ID
120	V,A	300,000	23 - 10	50 ID
130	V,A	13,000	12 - 0	15 - 0
135	V,A	13,000	12 - 0	15 - 0
10ML	H,A	10,000	25 <b>-</b> 6	8 - 0
801	H,B	5,000	13 - 3	8 - 0
803	H,B	5,000	13 - 3	8 - 0
805	H,B	10,000	26 - 6	8 - 0
808	H,B	10,000	26 - 6	8 - 0
931	H,Ã	5,000		8 - 0
859	H,A	5,000	17 - 0	8 - 0
860	H,A	5,000	17 - 0	8 - 0
708	H,A	1,000	8 - 0	5 - 4
1190	H,A	1,000	8 <b>-</b> 0	5 - 4
1191	H,A	1,000	8 - 0	5 - 4
2101	V,A	2,000	9 - 0	7 ID
2103	V,A	2,000	9 - 0	7 ID
2301	H,A	5,000	14 - 0	8 <b>-</b> 6
2303	H,A	5,000	14 - 0	8 - 6
5774A	V,A	3,358	9 - 6	7 - 2
Old fuel tank	H,A	5,000		

H = Horizontal

V = Vertical

B = Buried (gravel covered in diking)

A = Above ground

ID = Inside diameter

<sup>\*</sup>Diameters given as outside tank diameters excluding tank jackets unless otherwise noted.

<sup>\*\*</sup> Tank 105 has a 120° cone shaped hopper on its bottom, dimension for overall length represents straight side dimension.

# Table D-.. Waste Solvents Generated at Merck & Co., Inc. Rahway, NJ

Monchiorizated       425 = 0.788         Acescome       425 = 0.788         Alcohol 23A, Type ?       ****  Methanol       41 = 0.796         Menzene       42 = 0.879         Toluane       42 = 0.879         Toluane       42 = 0.879         Carbon disulfide       42 = 0.785         Isopropyl alcohol       42 = 0.785         Isogropyl acetate       42 = 0.870         Acetonitrile       41 = 0.777         t-Butyl alcohol       42 = 0.739         n-Butanol       42 = 0.739         n-Butanol       42 = 0.810         Exxane       42 = 0.810         Xylene       4 = 0.36         Ither       41 = 0.36         Tetrahydrofuran       42 = 0.389         Methyl etnyl xetone       42 = 0.895         t-Butalyanine       42 = 0.694         Benzaldehyde       42 = 0.694         Chlorinated       41 = 1.035         Menochloroacetone       41 = 1.035         Chlorofora       42 = 1.107         Monochlorobenzene       42 = 1.107         Tetrachloroethane       42 = 1.107         Ortho-dichlorobenzene       42 = 1.106          Chlorofora       42 = 1.106 </th <th>Solvents</th> <th>Sp</th> <th>ecific Gravity<sup>a</sup></th>	Solvents	Sp	ecific Gravity <sup>a</sup>
Alconol 2BA, Type T  Methanol  Benzene  dustrians  dustrians  Carbon disulfide  Carbon disulfide  Carbon disulfide  dustrians  Lisopropyl alconol  Lisopropyl accetate  Accenitrile  dustrians  Accenitrile  dustrians  Exame  dustrians  Liber  dustrians  d	Nonchlorinated		
Mathanol       d_4^{15} = 0.796         Banzene       d_4^{15} = 0.879         Toluane       d_4^{20} = 0.366         Carbon disulfide       d_4^{20} = 1.263         Isopropyl alcohol       d_4^{20} = 0.735         Isopropyl acetate       d_4^{20} = 0.870         Acetonizrile       d_4^{15} = 0.737         t-Butyl alcohol       d_4^{20} = 0.739         n-Butanol       d_4^{20} = 0.739         mandol       d_4^{20} = 0.610         Exame       d_4^{20} = 0.660         Xylene       d = 0.36         Ether       d_4^{15} = 0.719         Tetranydrofuran       d_4^{20} = 0.385         t-Butalyamine       d_4^{20} = 0.684         t-Butalyamine       d_4^{20} = 0.684         Beptane       d_4^{20} = 0.684         Benzaldehyde       d_4^{15} = 1.035         Chlorinated       d_4^{15} = 1.135         Monochloroacetone       d_4^{15} = 1.135         Chlorofora       d_200 = 1.484         Monochlorobenzene       d_400 = 1.107         Tetrachloroethane       d_400 = 1.107	Acetone		1 <sup>25</sup> = 0.788
Benzene       d <sub>4</sub> <sup>15</sup> = 0.879         Toluene       d <sub>4</sub> <sup>20</sup> = 0.866         Carbon disulfide       d <sub>4</sub> <sup>20</sup> = 1.263         Isopropyl alcohol       d <sub>4</sub> <sup>20</sup> = 0.785         Isopropyl acetate       d <sub>4</sub> <sup>20</sup> = 0.870         Acatonitrila       d <sub>4</sub> <sup>15</sup> = 0.737         t-Butyl alcohol       d <sub>4</sub> <sup>20</sup> = 0.739         n-Butanol       d <sub>4</sub> <sup>20</sup> = 0.810         Bexane       d <sub>4</sub> <sup>20</sup> = 0.860         Xylene       d <sub>4</sub> <sup>20</sup> = 0.366         Ether       d <sub>4</sub> <sup>15</sup> = 0.719         Tetranydrofuran       d <sub>4</sub> <sup>20</sup> = 0.389         Methyl stryl ketone       d <sub>4</sub> <sup>20</sup> = 0.805         t-Butalyamine       d <sub>4</sub> <sup>20</sup> = 0.634         Beptane       d <sub>4</sub> <sup>20</sup> = 0.634         Benzaldehyde       d <sub>4</sub> <sup>15</sup> = 1.050         Chlorinated       d <sub>4</sub> <sup>15</sup> = 1.035         Methylene chloride       d <sub>4</sub> <sup>15</sup> = 1.135         Monochlorodectone       d <sub>4</sub> <sup>15</sup> = 1.135         Chloriofora       d <sub>20</sub> = 1.484         Monochlorobensene       d <sub>4</sub> <sup>20</sup> = 1.107         Tetrachloroethane       d <sub>4</sub> <sup>20</sup> = 1.137	Alcohol 25A, Type T		
Toluene	Methanol		1 <sup>15</sup> = 0.796
Carbon disulfide $d_4^{20} = 1.263$ Isopropyl alcohol $d_4^{20} = 0.785$ Isopropyl acetate $d_4^{20} = 0.870$ Acetonizrile $d_4^{15} = 0.797$ t-Butyl alcohol $d_4^{20} = 0.739$ n-Sutanol $d_4^{20} = 0.810$ Sexane $d_4^{20} = 0.860$ Xylene $d_4^{20} = 0.860$ Ither $d_4^{15} = 0.719$ Tetrahydrofuran $d_4^{20} = 0.839$ Methyl etnyl ketone $d_4^{20} = 0.805$ t-Butalyamine $d_4^{20} = 0.695$ Beptane $d_4^{20} = 0.664$ Benzaldehyde $d_4^{15} = 1.050$ Chlorinated $d_4^{15} = 1.035$ Monochloroacetone $d_4^{15} = 1.135$ Chlorofora $d_4^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.107$ Tetrachloroethane $d_4^{20} = 1.107$	Benzene	•	4 <sup>15</sup> = 0.879
Taopropyl alcohol	Toluene		420 - 0.866
Isogropyl acetate	Carbon disulfide	·	d <sub>4</sub> <sup>20</sup> = 1.263
Acetonitrile       d. 4 0 0.797         t-Butyl alcohol       d. 2 0 0.799         n-Butanol       d. 2 0 0.810         Hexane       d. 2 0 0.810         Kylene       d. 3 0.36         Ether       d. 4 0 0.36         Tetranydrofuran       d. 4 0 0.389         Methyl etnyl ketone       d. 4 0 0.305         t-Butalyamine       d. 2 0 0.695         Eeptane       d. 2 0 0.695         Benzaldehyde       d. 4 0 0.694         Chlorinated       d. 4 0 0.694         Metnylene chloride       d. 4 0 0.694         Monochloroacetone       d. 4 0 0.694         Chlorofora       d. 2 0 0.694         Monochlorobenzene       d. 2 0 0.694         Monochlorobenzene       d. 2 0 0.694         Monochlorobenzene       d. 2 0 0.694         Tetrachloroethane       d. 2 0 0.694	Isopropyl alcohol		d4 <sup>29</sup> = 0.785
t-Butyl alcohol  n-Butanol  d 20 = 0.739  n-Butanol  d 20 = 0.610  Esxane  d 20 = 0.660  Xylene  d = 0.36  Ether  d 15 = 0.719  Tetrahydrofuran  d 20 = 0.389  Methyl ethyl ketone  d 20 = 0.305  t-Butalyamine  d 20 = 0.695  Eaptane  d 20 = 0.634  Benzaldehyde  Chlorinated  Methylene chloride  Methylene chloride  Methylene chloride  Monochloroacetone  d 20 = 1.484  Monochlorobenzene  d 20 = 1.484  Monochlorobenzene  d 20 = 1.484  Monochlorobenzene  d 20 = 1.484	Isogropyl acetate		$d_4^{29} = 0.870$
### Remains and Partial Remains are also as a second of the image of t	Acetonitrile	•	d <sub>4</sub> <sup>15</sup> = 0.737
Bexane       d40 = 0.660         Mylene       d = 0.36         Ether       d1 = 0.719         Tetrahydrofuran       d20 = 0.389         Methyl etnyl ketone       d20 = 0.805         t-Butalyamine       d20 = 0.695         Heptane       d20 = 0.684         Benzaldehyde       d15 = 1.050         Chlorinated       d15 = 1.335         Monochloroacetone       d15 = 1.135         Chlorofora       d20 = 1.484         Monochlorobenzene       d20 = 1.484         Monochlorobethane       d20 = 1.107	t-Butyl alcohol		$a_4^{20} = 0.739$
Xylene       d = 0.36         Sther       d = 0.719         Tetrahydrofuran       d = 0.389         Methyl etnyl ketone       d = 0.305         t-Butalyamine       d = 0.695         Haptane       d = 0.695         Benzaldehyde       d = 0.684         Benzaldehyde       d = 1.050         Chlorinated       d = 1.335         Methylene chloride       d = 1.335         Monochloroacetone       d = 1.135         Chlorofora       d = 1.107         Tetrachloroethane       d = 1.537	n-Sutanol		$a_4^{20} = 0.810$
Ether $d_4^{15} = 0.719$ Tetrahydrofuran $d_4^{20} = 3.389$ Methyl ethyl ketone $d_4^{20} = 0.805$ t-Butalyamine $d_4^{20} = 0.695$ Heptane $d_4^{20} = 0.684$ Benzaldehyde $d_4^{15} = 1.050$ Chlorinated $d_4^{15} = 1.335$ Methylene chloride $d_4^{15} = 1.335$ Monochloroacetone $d_4^{15} = 1.135$ Chlorofora $d_4^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.484$ Monochloroethane $d_4^{20} = 1.537$	Sexane		a <sup>20</sup> = 0.660
Tetrahydrofuran $d_4^{20} = 3.389$ Methyl etnyl ketone $d_4^{20} = 0.305$ t-Butalyamine $d_4^{20} = 0.695$ Heptane $d_4^{20} = 0.684$ Benzaldehyde $d_4^{15} = 1.050$ Chlorinated  Methylene chloride $d_4^{15} = 1.335$ Monochloroacetone $d_4^{15} = 1.135$ Chlorofora $d_2^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.107$ Tetrachloroethane $d_4^{20} = 1.537$	Xylene		d = 0.36
Methyl etnyl ketone $d_4^{20} = 0.805$ t-Butalyamine $d_4^{20} = 0.695$ Haptane $d_4^{20} = 0.684$ Benzaldehyde $d_4^{15} = 1.050$ Chlorinated $d_4^{15} = 1.335$ Metnylene chloride $d_4^{15} = 1.335$ Monochloroacetone $d_4^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.107$ Tetrachloroethane $d_4^{25} = 1.537$	Sther		a <sub>4</sub> <sup>15</sup> = 0.719
t=Butalyamine $d_4^{20} = 0.695$ Haptane $d_4^{20} = 0.684$ Benzaldehyde $d_4^{15} = 1.050$ Chlorinated $d_4^{15} = 1.335$ Methylene chloride $d_4^{15} = 1.335$ Monochloroacetone $d_4^{15} = 1.135$ Chloroform $d_2^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.107$ Tetrachloroethane $d_4^{25} = 1.537$	Tetrahydrofuran		d <sub>4</sub> <sup>20</sup> = 0.389
Haptane $d_4^{20} = 0.684$ Benzaldehyde $d_4^{15} = 1.050$ Chlorinated $d_4^{15} = 1.335$ Methylene chloride $d_4^{15} = 1.335$ Monochloroacetone $d_4^{15} = 1.135$ Chloroform $d_{20}^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.107$ Tetrachloroethane $d_4^{25} = 1.537$	Methyl ethyl ketone		$a_4^{20} = 0.805$
Benzaldehyde $d_4^{15} = 1.050$ Chlorinated $d_4^{15} = 1.335$ Methylene chloride $d_4^{15} = 1.335$ Monochloroacetone $d_4^{15} = 1.135$ Chloroform $d_{20}^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.107$ Tetrachloroethane $d_4^{25} = 1.537$	t-Butalyamine		a <sup>20</sup> = 0.695
Chlorinated $4_4^{15} = 1.335$ Monochloroacetone $d_4^{15} = 1.135$ Chloroform $d_{20}^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.107$ Tetrachloroethane $d_4^{25} = 1.537$	Heptane		a <sup>20</sup> = 0.684
Methylene chloride $\mathbf{d}_{4}^{15} = 1.335$ Monochloroacetone $\mathbf{d}_{4}^{15} = 1.135$ Chloroform $\mathbf{d}_{20}^{20} = 1.484$ Monochlorobenzene $\mathbf{d}_{4}^{20} = 1.107$ Tetrachloroethane $\mathbf{d}_{4}^{25} = 1.537$	Benzaldehyde		$a_4^{15} = 1.050$
Monochloroacetone $d_4^{15} = 1.135$ Chloroform $d_{20}^{20} = 1.484$ Monochlorobenzene $d_4^{20} = 1.107$ Tetrachloroethane $d_4^{25} = 1.537$	Chlorinated		
Chloroform $d_{20}^{20} = 1.484$ Monochlorobenzene $d_{4}^{20} = 1.107$ Tetrachloroethane $d_{4}^{25} = 1.587$	Methylene chloride		a <sub>4</sub> <sup>15</sup> = 1.335
Monochlorobenzene $\frac{d_4^{20} = 1.107}{4} = 1.537$ Tetrachloroethane $\frac{d_4^{25} = 1.537}{4} = 1.537$	Monochloroacetone		a <sub>4</sub> <sup>15</sup> = 1.135
Tetrachloroethane $4^{25}_4$ = 1.587	Chloroform		d <sup>20</sup> = 1.484
•	Monochlorobenzene	•	d <sub>4</sub> <sup>29</sup> = 1.107
Ortho-dichlorobenzene $4_4^{20} = 1.306$	Tetrachloroethane		d <sub>4</sub> <sup>25</sup> = 1.587
	Ortho-11chlorobenzene		d4 = 1.306

aspectific gravities are given in relation to water, e.g.,  $d_4^{20}$  denotes the relative densities of the solvent at 20°C and water at 4°C.

084-7-0-2 (PINAL)

General Information

### REPORT

### Discussion

Merck and Company Inc., Rahway, New Jersey is engaged in the manufacture of various pharmaceuticals and human and animal health care products. The principal products include Vitamin C and thiabendazole. The facility, which has been in operation since the 1900's, employs approximately 3600 people working seven days per week, 24 hours per day. During the 24-hour sampling survey period, production was estimated to be 75 percent of rated plant capacity.

All process and sanitary waste waters are discharged to separate collection systems for pretreatment prior to discharge into the Linden-Roselle Sewage Authority and Rahway Valley Sewage Authority facilities. Other waste waters, which include cooling tower blowdown, noncontact cooling water and plant runoff, are discharged without any treatment via Outfalls 003, 004, and 005.

During the sampling survey, 24-hour composite samples were collected at Outfalls 003 and 004. At Outfall 005, equipment malfunctions prevented the sampling team from collecting a 24-hour composite. However, samples were collected for a period of 22.5 hours, which is considered to be a representative sample. During the sampling survey, waste waters discharged via Outfalls 003, 004, and 005 were in compliance with existing effluent limitations for BOD5, TSS, chromium, zinc, temperature, flow and pH with one minor exception. For approximately 20 minutes during the survey period, the effluent pH at Outfall 005 was measured to be 5.0 S.U. Comparisons of effluent characteristics to permit conditions are contained in Tables I, II, and III.



## State of New Jersey

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF WASTE MANAGEMENT 32 E. Hanover St., CN 027, Trenton, N.J. 08625

JACK STANTON DIRECTOR

DEPUTY DIRECTOR

Merck and Company, Inc., Rahway EPA ID NO. NJD001317064

Dear

Ex. 6

The redacted information consists of names and/or addresses of information would be invasion this information would be invasionable information consists of names and/or addresses of the information would be invasionable invasionable information would be invasionable information with the invasionable information would be invasionable information with the invasionable information would be invasionable in the invasionable invasionable in the invasionable invasionable in the invasionable inva The redacted information consists of names and/or addresses of disclosure of this information mandatory disclosure of the redacted information consists of names and thous is exempt from mandatory disclosure of the redacted information consists of the redacted information consists of names and/or name and the redacted information consists of the redacted information consists of the redacted information consists of names and/or addresses of the redacted information consists of names and/or name and addresses of the redacted information consists of th Private individuals. Disclosure of this information would be invasive and thus is exempt from mandatory disclosure of the FOIA. 5 U.S.C. 552(b)(6).

Of personal privacy and of the FOIA. 

Thank you for your recent letter commenting on the hazardous waste activities at the above referenced facility.

The above subject company stored hazardous waste in containers and tanks and operated an incinerator for hazardous and non-hazardous wastes prior to the adoption of the federal hazardous waste regulations. The federal hazardous waste regulations were adopted on May 19, 1980 as part of the Resource Conservation and Recovery Act (RCRA).

The company was granted interim status as a treatment, storage, and disposal facility as a result of submitting a part A application on November 19, 1980. On August 24, 1982, the United States Environmental Protection Agency (USEPA) requested a Part B permit application from the company, which had to be submitted within six months.

The company submitted a Part B application on February 22, 1983, requesting a permit for only storage, in containers and tanks. Along with the permit application, the company advised it had terminated incineration of hazardous wastes and intended to terminate nine of its hazardous waste drum storage areas and nine of its hazardous waste storage tanks, and requested formal approval of closure plans for these activities.

As part of the Department's review of these closure plans, a public notice was published in the Daily Journal on May 30, 1983 describing the activities to be closed. Public comments on the closure plan will be reviewed before a decision will be made on the adequacy of the closure plans. closure plans are approved, these storage areas will no longer be used for the handling of hazardous wastes. The use of the incinerator for hazardous waste disposal has already been terminated, but the unit continues to be used for the disposal of non-hazardous wastes, as is permitted by the Department's Bureau of Air Pollution Control.

New Jersey Is An Equal Opportunity Employer

# AL

## MISCELLANEOUS ITEMS FOR 1982

- 1) There were no incidents during calender year 1982 which required the implementation of the Contingency Plan.
- 2) Closure cost estimate for 1982 (April 1982) = \$983,000.
- 3) Total quantities of each waste type placed in storage and removed from site is as follows:

	EPA Waste Code	Total
v	F002	64,350 lb. & 19,128 Gal.
	X850	2,210 lb.
	X910	20,400 lb.
_!	D001	21,387 lb. & 5,615 Gal.
٠,٠	D002	4,476 lb. & 500 yd <sup>3</sup> & 150 Gal.
	X940	15 Gal. & 11,000 lb.
f	D003	200 yd <sup>3</sup> & 450 lb.
	F005	2,140 lb. & 36,280 Gal.
	D006/D008	950 lb.
٠,:	D008	30 Gal.
	P115	10 yd <sup>3</sup>
	D006	50 lb.
	F005/F003	23,000 Gal.
	F005/D001	33,300 Gal.
1	F002/F003	4,500 Gal.
	F002/F003/D001	4,500 Gal.
	F002/F003/F005/D001	33,000 Gal.
	F003/F005/D001	40,480 Gal.
	D001/F002/F005	2,180 Gal.
	F001/F002	7,702 Gal.
	D002 (Sewerage - Waste Treatment)	1,990,000 Tons



J. T. T. T. W. W.

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION II
26 Federal Plaza
New York, New York 10007

In the Matter of

Merck & Company, Inc.

NPDES Permit Number: NJ 0002348

Proceedings under Section 309(a)(3): and (a)(4), Federal Water Pollution: Control Act Amendments of 1972: (33 U.S.C. §1319): FINDINGS OF VIOLATION

AND
ORDER TO SHOW CAUSE

EPA Number NPDES - II-77-102

The following FINDINGS are made and ORDER issued pursuant to the authority vested in the Administrator of the Environmental Protection Agency (hereinafter EPA) by Section 309 of the Federal Water Pollution Control Act Amendments of 1972 (33 U.S.C. §1319)(hereinafter "the Act") and by him duly delegated to the Regional Administrator of Region II which authority has been duly re-delegated to the (undersigned) Director, Enforcement Division, Region II.

## FINDINGS:

- 1. On September 23, 1975, the Regional Administrator of Region II, EPA, pursuant to authority delegated to him by the Administrator, issued a National Pollutant Discharge Elimination System (NPDES) permit under Section 402 of the Act, (33 U.S.C. §1342) to Merck & Company, Inc. (hereinafter Merck), for the discharge of pollutants from its facility located at Rahway, New Jersey to Kings Creek and the Rahway municipal storm sewer. By its terms, this permit (Number NJ 0002348) became effective on October 31, 1975.
- 2.(a) By letter of September 6, 1974, Merck amended its application for the above-referenced permit by reporting the elimination of Discharges 001 and 002. These discharges were asserted to be inoperative except at times of heavy rainfall or operation of the deluge system in an emergency caused by fire. The permit was issued effective October 31, 1975 permitting discharges solely from Discharges 003, 004 and 005.
- (b) During an inspection conducted by personnel of the New Jersey Department of Environmental Protection at the referenced facility on February 2, 1977 when the weather was fair, dry and cold, contaminated discharges were observed and sampled from two unpermitted outfalls: (1) a twenty-four inch pipe believed to be the allegedly discontinued outfall 001; (2) an eighteen inch pipe that was not made reference to in the permit application. The discharge from the former outfall was characterized by a concentration of 1138 mg/l







Total Suspended Solids, 890 mg/l COD, 141 mg/l BOD5 and a visible oil sheen. The discharge from the latter outfall was characterized by a concentration of 884 mg/l Total Suspended Solids, 271 mg/l COD and a pH of 2.0 standard units. Merck was advised of the operation of these two unpermitted discharges during the inspection of February 2, 1977.

- (c) On October 13, 1977, personnel from the New Jersey Department of Environmental Protection again visited the Merck facility and observed that contaminated discharges continued to flow from the two above-referenced outfalls
- (d) It is, therefore, found that Merck has been, and continues to be, in violation of Section 301 of the Act (33 U.S.C. §1311) in that it continues to discharge from two outfalls which are not permitted by the referenced permit.
- 3.(a) Operations at the referenced facility have been characterized by numerous serious spill events, to wit:
  - (i) May 12, 1975 spill of ammonia and Thiobendazole (TBZ);
- (ii) June 22-23, 1976 spill of cobalt catalyst observed during inspection by EPA, Surveillance and Analysis Division;
  - (iii) July 9, 1976 spill of cobalt catalyst;
- (iv) October 8, 1976 sewer line blockage resulted in backup of raw waste load to former outfall 001;
- (v) October 19, 1976 spill of 3,000 gallons of Sodium Thiocyanate through outfall 003;
- (vi) November 23, 1976 break in ammonia line resulting in discharge of ammonia and ortho-dichlorobenzene observed during inspection by New Jersey Department of Environmental Protection;
- (vii) January 31, 1977 spill of ortho-dichlorobenzene and hydraulic fluid; and
  - (viii) February 8, 1977 PCB emergency due to transformer overload.
- 4.(a) By the terms of Condition 1.A.2.a. on Page 3.a. of its permit, Merck was required to limit the discharge of Total Suspended Solids from outfall 003 to 9 kg/day as a daily average and 18 kg/day as a daily maximum.
- (b) In its Discharge Monitoring Report submitted on August 24, 1977, Merck reported a discharge of 22 kg/day as a daily average and 68 kg/day as a daily maximum and attributed this violation to construction activity.
- (c) It is, therefore, found that Merck has violated Condition 1.A.2.a. of its permit and Section 301 of the Act (33 U.S.C. §1311) in that it discharged Total Suspended Solids from outfall 003 in excess of that permitted by the terms of said Condition.

(38)



## ORDER TO SHOW CAUSE

- l. Upon a thorough investigation of all relevant facts, including the seriousness of the violations involved, it is hereby ORDERED pursuant to Section 309 of the Act that the permittee shall at 10:30 A.M. on November 17, 1977, appear at the United States Environmental Protection Agency, Region II Offices, Room 437 P, 26 Federal Plaza, New York, New York 10007 to show cause before Meyer Scolnick, Director, Enforcement Division, or his designee, why EPA should not promptly refer Merck to the United States Department of Justice for the commencement of an action for the imposition of the civil and criminal penalties provided for by §§1319(b), (c) and (d) of the Act (33 U.S.C. §§1319(b), (c) and (d)).
- 2. Merck shall submit in writing, at least seven (7) days before its scheduled appearance, a report detailing: (a) the actions which have been taken, or which will be taken (including times for compliance) to eliminate the referenced unpermitted discharges; (b) the steps which have been taken and/or which will be taken to prevent the reoccurrence of the numerous spill events detailed above; (c) whether the construction activity (cited as the cause of the Total Suspended Solids violation at outfall 003) has been completed; and (d) the results of the most recent monitoring for Discharges 003, 004 and 005.

Should the permittee have any questions concerning compliance with this ORDER, it should contact George Shanahan, Attorney, Water Enforcement Branch, at the above address or at (212) 264-4347.

Date: 0/5/12 20, 1977

Signed:

Stephen Dvorkin\*
Acting Director
Enforcement Division

Region II



## INCIDENT REPORT

<u></u>			
D.W.M. ASSIGNED CASE NUMBER	18131-10161-10121-1019161	HOT LINE	INDEXED X
DATE [0]6]-[0]7]-[8]3]	TIME (Military)	D.W.M. ID NO.	1.121011
INCIDENT REPORTED BY:			
The state of the s	77101	PHONE	- 574 - 536/
1 om Puchalski	thru Trenton Dispote	1 201	CODE
AFFILIATION Merch	•		
STREET	·		
CITY		STATE	ZIP CODE .
INCIDENT LOCATION:			
NAME Scine as IR		PHONE	
	<u> </u>	I_L_L_L UTM V	ERT UTM HORIZ
STREET	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	<u> </u>
CITY	COUN		ZIP CODE
			Mana Thursday Communication
SOURCE OF SPILLED AND/OR DISC	HARGED SUBSTANCE: Confirmed	Alleged PHONE	More Than 1 Source
Science a's IK		PHONE	
CONTACT	TITLE		
STREET		DEP CO	OMPANY NO.
			ZIP CODE
CITY	COUN	ITY STATE	ZIP CODE
SUSPECTED SPILLED AND/OR DISC	HARGED SUBSTANCE: Confirm	ned Alleged	More Than 2 Substances
1. 33% Methanolo	and with the	•	SUBSTANCE NO.
AMOUNT SPILLED	I UNITS	A/P/E	S/L/G/M
	SICI LENIAS		SUBSTANCE NO.
2.			30031ANG2NO.
AMOUNT SPILLED	UNITS	A/P/E	S/L/G/M
DATE OF INCIDENT T	IME (Military) TEMP.	WEATHER \	NIND (Dir. & Vol.)
16-01-83	V170761		CODE
overflow tank one	Men - Tank farm, B	Sucleting # 13	
CAUSE /			CODE
WATER BODY AFFECTED			CODE
None			
ASSOCIATED FIRE AND/OR HAZARDS			4 1
INCIDENT REFERRED TO:			
INCIDENT REFERRED TO:		PHONE	
		1000	av cone
CONTACT		AGEN	CY CODE
LEDIMARY D. W.M. JANUFOTIC ATOR	/ h	FOLLOWUP	
PRIMARY D.W.M. INVESTIGATOR	NXA 413411.	L	1
NO FURTHER ACTION		DATE	·1   [-1   1
A STATE DITO		L	
COMMENTS:	g • 21 a	J - 24 - 22	211 1
Tank renflowed	on to iground and wo	would do	in with water
Lucy Call On		a Castin	Julio 6
TOTAL TO COLLECTE CAMBIA	my at bone number	cere por	was a second of the second of
1108 Cille	my of box number	toon one la.	sky than 1
1145 Celled Company	, regiei 15/ 201-574-	4000 and sp	who with guard
1745 Cilled Company	Lungar call but	too and sp	who with guard
Who could see	, regiei 15/ 201-574-	too and sp	who with guard

. Jun DWM-001 6/82 NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
D SION OF WASTE MANAGEMENT

		•
D.W.M. ASSIGNED CASE NUMBER	83-06-02-09C	Page of
DATE _ 4 - 9 - 8 3	TIME LE 3 5 DW	M IDNO 209

1835 - Trent Dayset leelled back wick Puchalski how
plan number
1838 - Called Packatski - who alate ) the liquid durkange
from sent pepe for when tank and on the grand, it
Containment. Some ligge Dura washel down into on side
chemical collection seems and some at interior ground
Soil will not be removed became tuckelist don
not feel that will be ignited the not
a hayandan war to Manformalia late will be
Artal Keenting
Land of from them I sewer wow and 300 per calle
equily like tople buckeye & Linden Bill
Service actions

## INCIDENT REPORT

		·		
D.W.M. ASSIGNED CASE NUMBER	-MM-63-009			INDEXED
DATE 11-03-82 TIM	E (Military)	D.W.M. 10	D NO.	
INCIDENT REPORTED BY:		<b>-</b>		
Ron Andruchowit	2		<b>2051</b>	5745026
Site Env. Engineer	- Merch &	(0		CODE
Lincoln Aue Be	x 2000 126	Epst Lin	coln	
CID Ahway			1 0	ZIP CODE
INCIDENT LOCATION:				
STREET MAIN TACTULING I PO	sea pt Abor	e Addidirte		
LI I I I I I I I I I I I I I I I I I I	<u> </u>	<u> </u>	UTM VERT	UTM HORIZ
	<u>L_1</u>	IOICITY	STATE	ZIP CODE
SOURCE OF SPILLED AND/OR DISCHARGED	SUBSTANCE: Confirm	ed [] Alleg	ed 🗀 M	ore Than 1 Source 🗆
COMPANY NAME  Aboul			PHONE	·
CONTACT	TITLE		ı	
STREET			DEP COMPAN	IY NO.
CITY	CC	UNTY	STATE	ZIP CODE
SUSPECTED SPILLED AND/OR DISCHARGED	SUBSTANCE: Conf	irmed LJAI	leged [	More Than 2 Substances
1. AmoniA - NHa				SUBSTANCE NO.
AMOUNT SPILLED	UNITS GALS	A/P/E	•	S/L/G/M
H CELT I STELLE	<u> </u>	<u> </u>	<u> </u>	SUBSTANCE NO.
2. AMOUNT SPILLED	UNITS	A/P/E	<del></del>	
		A/F/E	J	S/L/G/M
DATE OF INCIDENT				
1/1/-1013-1813	091415 TEMP.	WEATHER	WIND (	Dir. & Vel.)
SPILL OMGIN CAT	•			CODE
VAINE RACKING 10	ptiqu			CODE
WATER BODY AFFECTED	3			CODE
ASSOCIATED FIRE AND/OR HAZARDS				
INCIDENT REFERRED TO:		<del></del>	·	
AGENCY			PHONE	
CONTACT			AGENCY COD	E
PRIMARY D.W.M. INVESTIGATOR	1	FOLLOWU	)	
NO FUNTHER ACTION	J	DATE		
CANADATA TA	INTA GS 940			
COMMENTS.		lowned allegraphic works, or an are large.	/	VAIVE 1.
Tito and is	arenia for	om r	our i	compacking
1) I this A.	20,000	gala.	-01 16	6,000 165.
CATY DE	un has.	even il	roppeo	1 comporary
- 11 10 personue	all being	molif	red o	& leah and
much respond ASIP.	Company	las no	tifico	Kich Hills
Central Office Hur	collution. Fi	re Dept	<u>. 1703 e</u>	
while repair work was	apina ourfrience	d. Mr	Rind	Han 12

## NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION ON OF WASTE MANAGEMENT

NFA

• 5		
D.W.M. ASSIGNED CASE NUMBER	82-1L-03-00°	2 Page 2 of 2
DATE 11 - 3-82	TIME	DWW IDNO

D.W.M. ASSIGNED CASE NUMBER	82-1L-03-002	Page 2 of 2
DATE 113-82	TIME	D.W.M. ID NO

of the Ru	touch is be conducted.	Clertion (	2 ential	Ragion
responded.	The lead	hay be	in state	D D L AL
end the	tout is be	ing dia	inial. T	Le work
should be	conducted.	ly 1500	his tred	on (1/3/8)
		J		June
		,		•
		·		
		· · · · · · · · · · · · · · · · · · ·		
			· · · · · · · · · · · · · · · · · · ·	
		·		
•				
				•
				, v





# CHEMICAL MANUFACTURING DIVISION

& C O., INC. . RAHWAY, W JERSEY 07065

October 11, 1976

Mr. Richard Bellis Assistant Director Pollution Control Monitoring, Surveillance & Enforcement Dept. of Environmental Protection P.O. Box 1390 Trenton, New Jersey 08625

Dear Mr. Bellis:

At 4 P.M. Friday, October 8, 1976 a plugged chemical sewer line caused a backup of the waste stream to overflow at a weir at former outfall 001 to Kings Creek. The 18 inch line is the main trunk line to the pretreatment area prior to discharge to the Linden-Roselle Sewerage Authority plant.

The sequence of events to correct the problem are tabulated below:

m.		correct the problem a	re tabulated below:
Time	Hours	Volume over Weir	•
4-5 P.M.	1 hr.		Comments
	55,000 gallons	Backup occurred. Clear waste creek clean.	
5-7:20 P.M.	2-1/3 hr.		All operations warned of crisis.
	2-1/3 nr.	58,000 gallons	*Emergency pump set up to by-pass plugged manhole.
7:20 P.M.	· •	÷ .	Pluggage cleared by outside
			contractor.
* Pump const.			

\* Pump capacity - 30,000 gallons per hour

The entire course of events was telephoned to Mrs. Blackwell at the Raritan Interstate Basin, Water Pollution Control. The initial problem was also relayed to Mr. Edward Faille, Water Pollution Control, and Mr. Paul Elliott's office, EPA, Edison, New Jersey. At 7:30 P.M., when normal flow resumed, the EPA hot line was


Mrs. Blackwell and Mr. E. H. Post, Raritan Interstate Basin, visited the plant on Saturday, October 9, 1976 to review and photograph the equipment, weir, and glue




Rahway Tup Wells. Wells 1639 purk pt: 537 Union At 561 Rines nd 537 Brambill n 98 d'emerson are 6001 Tamlock st. 1367 Jefferson st 551 River Ad C223-3/-41 705 W. Lincoln are 2254 Lullow st 272 W. Milton are. 815 Prett St 464 St. Georges ane - (gen-ell Cliania) 475 O Scett are 150 W Hazelward are 241 W. Milton are. 158 & grand are 225 39-41 2255 Kullow St. 411-40.6 1045 Miller blad. 88-15-68 montgonery st. 439-33-6 640 Central are 108 Kulleph are. 627 Semenary are. 498 Vour st, 872 Brejant st, W. Grand and. 512 647 W. Hazelwood are. W. Klezelwood are 1081 Campbell St, 1510 405 Q grand are 680-82 W Grand are,

Wells cost, #894 Himilton St 1837 Winfield st 1944 Bone st 537 Brinkel rd 801 Trully pe. INDUSTRIAL WELLS Associated Plastics 205 E. Inman Avenue MBM Corporation 232 Wescott Daves 3 : Kahway Haspital 865 Stone Street Margon Corporation 2194 Elizabeth Avenue Total population within 3 mc2 of Merch & Co. includes entire population of Rahway 26, 723 This information was provided by Inspective Buchanan of Merck and Company

Latitude: 40° 36' 12" Longitude: 74° 15'24'









## MERCK CHEMICAL MANUFACTURING DIVISION

MERCK & CO., INC. P.O. BOX 2000 RAHWAY, NEW JERSEY 07065

(201) 574-4000

June 21, 1983

Mr. Tim Downy
Department of Environmental Protection
Division of Waste Management
120 Route 156
Yardville, New Jersey 08620

Dear Mr. Downey,

I would like to confirm our phone conversation of June 9, 1983 regarding a methanol solution spill at our Rahway site. Approximately 150 gallons of a 33% methanol/water stream - classified as hazardous because it exhibits the characteristic of ignitability - discharged from the vent of an overflow tank serving two dilute methanol storage tanks. The material fell to the surrounding soil and a nearby roadway (internal to the site). The Merck Fire Department responded immediately and thoroughly washed the entire area. The spilled material was washed to the chemical sewer system which discharges to the Linden Roselle Sewerage Authority. Because of the dilute nature of the washed material, and because the soil in the spill area would not meet the criteria for ignitability, the soil is not considered to be hazardous. Therefore, as we discussed on the phone, this soil will not be removed.

In order to prevent another occurrence of this nature, automatic block valves will be installed on the inlet line of the two storage tanks. These will be activated from existing level transmitters if the level is high and prevent the tank from overflowing. Should both valves be activated, this would result in the processing equipment being shutdown due to high levels.

Should you have any questions, please give me a call at (201) 574-5361.

Very truly yours,

In Puchalski

Manager Environmental Control

/ms

MERCK CHEMICAL
MERCK & CO., INC.

MANUFA URING DIVISION
RAHWAY, NEW JERSEY 07065

June 24, 1977

Ms Joan Munn, Sr. Environmental Technician Department of Environmental Protection Division of Water Resources P.O. Box 2809 Trenton, New Jersey 08625

Attention: Discharge Confirmation

Dear Ms Munn:

On June 21, 1977 at 3:00 P.M. on a routine inspection tour of the site perimeter and Kings Creek outfalls, a dark, dense substance was observed at Outfall 003 creek bed. The impurity proved to be orthodichlorobenzene (ODCB).

The Merck emergency spill protection crew was activated and a salt-hay fence was erected directly below the dam with Coastal Pak adsorbent pillows and sorbant to contain the spill. Our contract discharge cleanup organization, Coastal Services, Inc., was called in to vacuum the estimated 10-15 gallons ODCB into the vacuum pump trucks. The creek bed was vacuumed three times and subsequently five manholes upstream of the outfall were cleaned. The entire operation was completed before sundown, with no evidence of any ODCB entering the creek proper.

After  $\infty$  ntacting Coastal Services your office (DEP) and Edison (EPA) were notified of the spill.

After a thorough investigation, it was concluded that the gutter on the main TBZ pad was the cause of the incident. Several cracks were found in the acid-brick base which could leak material to the deluge system overflow. Repairs are being made expeditiously.

On Saturday, June 25, 1977 after the creek bed has been thoroughly inspected, the hay and sorbant materials will be removed for incineration on the premises.

Again we regret the incident, and if you have any further questions please call Area Code (201) 574-5026.

Very truly yours,

B. W. Hartelius

Manager Environmental Control

BWH: bwk

cc: Mr. M. Polito

Environmental Protection Agency Region II

Edison, New Jersey 08817

ODECENVE

MERCK CHEMICAL MANUFACTURING DIVISION

MERCK & CO. INC. · RAHWAY, NEW JERSEY 07065

December 6, 1976

Mr. Richard Bellis
Assistant Director
Pollution Control Monitoring,
Surveillance & Enforcement
Dept. of Environmental Protection
P.O. Box 1390
Trenton, New Jersey 08625

EDICON, IT

Dear Sir:

MERCK

On Tuesday, November 23, 1976, at 4 P.M., Messrs. R. Harrison and E. Stevenson, Water Resources Division, Department of Environmental Control, visisted the plant as a result of an ammonia odor eminating from Kings Creek. During the ensuing inspection tour, two other abnormalities were observed, i.e., a colored discharge from the barn area and an oil slick on the outfall stream. The probable cause and program to prevent recurrences are as follows:

- a. Ammonia odor A break in the liquid ammonia line to the refrigeration building required a shutdown of the system and relief of ammonia pressure. The ammonia was absorbed in water, as part of the shutdown procedure, and in dumping the solution some was inadvertently drained to the surface water network. Repairs to the piping were made expeditiously. Appropriate emergency measures will be taken in the future to insure such effluent will be diverted to the chemical waste stream.
- b. Animal wastes The greenish colored effluent the inspectors observed at outfall 003 was traced to animal wastes and barn washings. A plugged sewer line caused the lift stations to overflow while repairs were in progress. The tank effluent was temporarily pumped to a secondary sanitary sewer outlet until repairs were completed. It was found to be caused by animal feed pellets which packed the 4 inch sewer line. Obviously the repair crew must be trained to divert the effluent completely in such emergencies before investigating the source of the problem.

cc: Mr. William Librizzi, Jr.
EPA Edison
N.J. Surveillance & Analysis Division
Edison, New Jersey 08817

Mr. Nicholas J. Casselano Environmental Engineer United States Environmental Protection Agency, Region II 26 Federal Plaza New York, New York 10007 c. Oil slick - While the source of the oil was probably parking lot surface drainings, an ortho dichlorobenzene (ODCB) odor was detectable in the creek bed. The ODCB was traced to a 3 gallon sump in a surface drain in the operations area above which a tank wagon had been cleaned after an ODCB pumping operation. The residue was ultimately washed into the creek by a wash-down operation. After the spill the drain was sealed. Being heavier than water the ODCB ultimately settled into the creek bed.

To contain the oil two "hay" fences were constructed across the creek and the outfall. Coastal Services, Inc. was called in to assist in the containment using booms and adsorbent. The hay and adsorbents will be disposed of by incineration. The ODCB, sand mixture will be physically removed and drummed for land disposal.

A permanent fence will be installed and an inventory of hay and adsorbent material will be made readily available. We are also investigating a contractual agreement with an oil spill and hazardous chemical firm to assist in the event of future spills. We have undertaken a program of color-coding surface drains and chemical drains to avoid the above and other recurrences. Lastly and foremost training is essential for all personnel in all areas to appreciate waste disposal and spill prevention procedures. We will have a refresher course for all personnel concerned to review the above incidents as well as to reaffirm these waste disposal and spill protection procedures.

We regret the incidents and if further clarification is necessary please feel free to call me at Area Code (201) - 574-5026.

Very truly yours,

B. W. Hartelius

Manager Environmental Control

BWH: bwk

Samples of the waste stream are available for reference. An average analysis based on hundreds of samples is as follows:

BOD

2,000 mg./1.

SS

125 mg./1.

These data and data of other parameters are available for your perusal. BOD and SS are included in our Kings Creek NPDES permits.

We regret the incident and the resultant overflow and will review our operations to prevent a recurrence. If you have any further questions, please call, Area Code 201 - 574-5026.

Very truly yours,

B. W. Hartelius

Environmental Control Manager

BWH: bwk

cc: EPA Edison

N.J. Surveillance & Analysis Division Edison, New Jersey 08817

Mr. N. Caselano
Environmental Engineer
Water Facilities Branch
Facilities Technology Division
U.S. Environmental Protection Agency
26 Federal Plaza
New York, New York 10007

# #224-77

## OIL AND HAZARDOUS SUBSTANCES TELEPHONE POLLUTION REPORT

ture)

		Within Tend
_		Person Receiving Report (Signat
1.	Person Reporting Incident:	
	a. Name: Mr Hartely, b. Address:	c. Telephone:
	Merch +4	574-5026
2.	Date and Time of Report;	3. <u>Date and Time of Spill</u> :
	2:00 miss 2 1/76	1'2 PM 2/7/71
4.	Location of Incident: Rahway	
5.	Water Body Affected:	
	no rom	
6.	Quantity Reported Spilled:	7. Quantity Reaching Water:
. •	(a the Pin to ) last	nm
8.	Spill material:	
	a. Chemical Name: PCB	To spell
	b. Trade Name	To spill No Spill
:	Manufacturer:	14 0
:	a. Name: G. E	c. Telephone:
•	b. Address:	c. rerephone:
9.	Cause of Spill:	
		inside the plant
Ö.	Source:	The parks
	a. Name:	c. Telephone:
	b. Address:	
	•	
1.	Others Notified or Currently Responding:	

NIDEL moderni eghshed on building will dig up show and wash 5129 with Trisodin phosphule and absorb on speed, Dri. will contain and disposed at Mod/GA



## HAZARDOUS SHE TANCE' TELEPHONE POLLUTION REPOR

Clark func Person Receiving Report (Signature

1.	Person Reporting Incident:
	a. Name But Hatelian Concompleto. Telephone 201 574-502
	b. Company Name and Address: Parkway, N.J.
2.	
4.	Location of Incident: Rahway N. D.
5.	Water Body affected: Kings Creek
6.	Spill Material: Ortho dich locobengene
•	a. Chemical Name:
	b. Trade Name:
7.	Manufacturer:
	a. Name: c. Telephone:
	b. Address:
3.	Cause of Spill: Under at this Time - having problem
9.	Estimated Quantity Spilled: 10-15 quelino
10.	Source: (circle one)
	a. Truck b. Barge c. Train d. Other
	Transport Company:
	Address:  Transport Company:  No opcil  No SPCC
11.	Damages as a Result of Spill $\mathcal{D}_{\mathcal{V}}$
	a. People injured c. Fish kill
	b. Fire d. Other
12.	
	Out outfall 003 Kings Creek
	Out outfall 003 kings (rech Hay fabsorbent fence do in creek Coastal Services
	ome to
	NJSPEP nolified (Joen Munn). CC. Miche 18 the Follow up report will be sunt
	tolow up report well be sent

0. FOR CONTROL USE ONLY U.S. ENVIRONMENTAL PROTECTION AGENCY NOTE OIL AND SPECIAL MATERIALS CONTROL DIVISION All non-shaded SPILL REPORT areas must contain an entry. (Form S) b. SPCC NUMBER la, SPILL 'D If the SPCC number is not entered, complete (Not required. If unassigned, the Facility Identification Form. will be system derived.) ENTER THE FOLLOWING ONLY IF THE RESPONSIBLE ORGANIZATION (RO) IS OTHER THAN THE OWNER/OPERATOR OF THE FACILITY C. RO NAME RO MAILING ADDRESS d. STREET g. ZIP e. CITY ENTER THE FOLLOWING ONLY IF THE LOCATION OF THE SPILL IS OTHER THAN THE LOCATION OF THE FACILITY 2a. REGION b. STATE C. COUNTY GEOGRAPHIC LOCATION C. LATI TUDE-NORTH | f. LONGITUDE-WEST g. SURVEY DESCRIPTION SECT TOWNSHIP RANGE DEG MIN SEC DEG MIN SEC SECT SECT h. DIRECTIONS TO SPILL SITE (Optional-25 words or less) 3. SPILL INFORMATION d. REPORT'S TIME c. REPORTED BY (Name) b. SPILL TIME C. REPORTING DATE a. SPILL DATE io ٥ DAY HR f. TELEPHONE 201 g. GENERAL WATER BODY (Check one only) COASTAL GREAT LAKES MINLAND h. SPECIFIC WATER BODY (Check one only) OPEN WATER INLET TERMINAL (dock) RIVER RESERVOIR POND BAY (estuary or sound) CHANNEL TRIBUTARY STREAM (creek) LAKE PORT (harbot area) BEACH i. WATER BODY NAME (If none, enter "none") j. RIVER MILE INDEX (Il known)

EE

		**************************************
4. SPILL MATERIAL		प्रश्रा ।
	codes which best designates the characterist	ics of the spilled material.)
a, bils		, , , , , , , , , , , , , , , , , , ,
1101 ANIMAL OIL 1107 JET FUEL	☐ 1112 NO. 4 FUEL ON OIL ☐ 1113 NO. 6 FUEL (Bunker C,	1117 ENGINE WASTE OIL 1118 INDUSTRIAL WASTE OIL
1103 CREOSOTE 1109 NAPHTHA	Navy Special, Residual Oil)	1119 GREASE
1110 NO. 1 FUEL		1120 UNKNOWN OIL
1105 CUTTING OIL No. 1 Diesel)	1115 VEGETABLE OIL (No. 2 Diesel) 1116 BILGE WASTE OIL	1199 OTHER (Specily):
HAZARDOUS SUBSTANCES	OTHER SUBSTANCES	
1299 (Specify trade or common name):	1301 SEWAGE	1399 MISCELL ANEOUS (Specify):
	BEN 1302 SLUDGE	
		(Check only one of the following unit
	gALS	
	<u> </u>	
ONSHORE TRANSPORTATION (ONT)	ving four digit codes on this page which best descri	ioes the spill source.)
2101 HIGHWAY CARGO TRANSFER	Take HICHWAY BASSENCED	2112 RAIL FUEL
2102 HIGHWAY DRY BULK	2106 HIGHWAY PASSENGER	2111 RAIL GENERAL CARGO
2103 HIGHWAY FUELING	2108 RAIL CARGO TRANSFER	2112 RAIL LIQUID BULK
2104 HIGHWAY GENERAL CARGO	2109 RAIL DRY BULK	2199 OTHER (Specify):
2105 HIGHWAY LIQUID BULK		
OFFSHORE TRANSPORTATION (OFT)		
2201 BULK CARGO TRANSFER	2206 NAVAL VESSEL	2211 TANK BARGE
2202 DRY CARGO BARGE	2207 NON-BULK CARGO TRANSFER 2208 PASSENGER VESSEL	2212 TANKER 2213 TOWBOAT ( <i>Tugboat</i> )
2204 FISHING VESSEL	2209 PIPELINE	2299 OTHER (Specify):
17 2205 FUELING	2210 RECREATIONAL VESSEL	
ONSHORE NONTRANSPORTATION (ONN)		· · · · · · · · · · · · · · · · · · ·
2301 BULK STORAGE	2304 PIPELINE (Flowline or other	2306 REFINERY
2302 INDUSTRIAL PLANT (Processing)	Intra-facility) 2305 PRODUCTION (Oil or Gas)	2399 OTHER (Specify):
	2303 PRODUCTION (On or das)	
FESHORE NONTRANSPORTATION (OFN)   2401 DRILLING (Oil or Gas)   2499 OTHER (Specify):	2402 PIPELINE (Flowline or other Intra-facility)	2403 PRODUCTION
6. SPILL CAUSE (Check only one of the followi	ng four digit codes on this page which best describe.	s the spill cause.)
CASUALTY		: :
3101 CAPSIZING (Overturning)	3104 EXPLOSION	3107 SINKING (Floundering):
1 3102 COLLISION WITH FIXED OBJECT	3105 FIRE	3108 WELL BLOWOUT  3199 OTHER (Specify):
VESSEL		
EQUIPMENT FAILURE		
3201 AL ARM	3206 HOSE RUPTURE	3210 WELD FAILURE, FACTORY
3202 AUTOMATIC SHUTDOWN 3203 CORROSION, PIPELINE	3207 PIPELINE RUPTURE 3208 PUMP	☐ 3211 WELD FAILURE, FIELD  3299 OTHER (Specify):
3204 CORROSION, TANK	3209 TANK RUPTURE	
3205 DEFECTIVE VALVES	<del></del>	C H FROM M
PERSONNEL ERROR		
3301 INCORRECT VALVE HANDLING	3303 IMPROPERLY SECURED FLANGES	3399 ОТНЕЯ (Specily):
3302 IMPROPER HOSE CONNECTION	3304 TANK OVERFLOW	
DELIBERATE DISCHARGES		(T)
3401 DUMPING	3404 PUMPING BILGES 3405 VANDALISM	3499 OTHER (Specify):
3403 PUMPING BALLAST		
NATURAL PHENOMENON		
3501 FLOODING	3504 HEAVY WINDS	3599 OTHER (Specify):
3502 FREEZING	3505 NATURAL SEEPAGE	
3503 HEAVY SEAS		
7. COMMENTS - INCLUDING REMOVAL METHO	OD (Optional-25 words or less)	
MERCK & Co RAHWAY N. J.		
0		
KAHWAY N. J.		
) .		
	4	· · · · · · · · · · · · · · · · · · ·



### State of New Jersey



#### DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF WATER RESOURCES
P. O. BOX CN 029
TRENTON, NEW JERSEY 08625

ARNOLD SCHIFFMAN

March 24, 1981

Mr. Henry F. Gavan Health Officer City of Linden Board of Health Union County, NJ 07036

Dear Mr. Gavan:

This is in reply to your letter concerning wells in the City of Linden. Enclosed is a list of wells which we have on file.

We would appreciate your sending us the results of your evaluation of the list so that our files can be brought up to date.

If I may be of further assistance, feel free to contact me again.

Sincerely yours,

Carol S. Lucey

Supervising Geologist
Water Allocation Section

lf Enclosure

WELL No.	LINDEN	#2 LOCATION		YEA R Drived	CASING DIAM.	dbw Ainro	Forman		SCREWN SUTTING OR DEPTH of CASING		PUMPAUL LEVEL HOURS PUMPO	04AW - 04AW -	PERTI PERTI	REMARKS, USE, PEC.
-	Orange Piustics	26-31-263	y	78-	6	10-0		330	51'9"	80			,	315 Canton Ave
	Ideal Planing			66	8	100		240	57				60	1570 W. Blanche St
$\int$	Amdon Jeu Co			59	જ	70		550	40	19	1108	91	65	18 Donaldson P/
	General Gamboot	26 -37-377		53	8	100		316	399	16	58 8	42		531 N Stiles S4
K	Auto Jaje Cally Sug	1	•	67	6	75		250	289	34	44 8	10	60	315 Carrior Ave
	Gen, Gum Cott	20-31-317		5/	8	90		310	95'7"	15	509	35		
	Apex Rendevous	1		722	6	90		440	30	25	2505	225		1135 W. Elizabeth Ave
×	1 '	1	ł	70	6	5		245	40	10	1254	15	15	30 W. Elmst
	Al Kalla credul rison Automotive Pred.	21-31-37	ľ	51	6	31		245			318	8		
		26-31-342		55	12	30		366		20	1206	100		1250W Elizabeth Ave
	Smith Kessier	26-31-37	•	65	8	65		360	27	8	1508	142	65	1414 E. Linden Ave
	Dog Pound	26-31-388	1.	72	10/6	20		460	54	1		293	•	RangeRd
	0													
														·
									<u> </u>				ļ	
									<u> </u>				-	
										_				
			_						<del> </del>	-		-		
									ļ				-	
							}						1	

WELL 10.	LINDEN	LOCATION	1	EAR WUED	CASING DIAM.	dbw Alero	FORMATION		SCREEN SUTTING OR DEPTH of CASING	Static Level	PUMPLUE LEVEL HOUSE PLUMBER	04AW - 00=N	PUH DEPTH OPPORK	
	Standard Oil	26-22-78	,	10	8	<b>13</b>		383		25	"/_			
	n //	26-22-78						1566		22				Brackish
	United Lacques	26-31-319		47	8	100		500	,					100 Elizabeth Nue
	Volupte Inc	\ \frac{1}{2}		35	8	16		368			1550		ļ	Edgar & Dennis St .
	Eastern Pucking	26-21-98		50	8	150		400	٠	11	138			416 Linden Ave 26-202
	Linden Milk Co	26-31-339		22		50		140		26				
	Park Plast & Co	26-22-772		50	6	60		255	321/2	7	65/6			940 Park AUE 26,19
	Horton Sami	26-21-983	1	49	8/6	8	<u> </u>	155	23	45			8	Ru25 26-119
	Rosehill Com.			09	`	15		209		15	17			
	Partie Parmitte	26-31-355		50	8	80	<u> </u>	300	31	100				Lunders Airport 26-174
	Pa RR Sta			n.3		21		122	<u></u>	ļ				
<u> </u>	Walter Helance.	25 3-36-5		52	6	5		96	40	12		_		828 Smith St 26-530
	Linden Cent Ass	26-21-999		/2.		21	<u> </u>	7/		ļ				near RR.
	Brown Swas Dury	2		13	6	40		187		10		ļ. —		on Road to Tremley Pt.
	W.J. Burso		-	12	6	74		226	ļ	4		_		
	Rose Track	-		ଟିବ		ļ	ļ	-		-		_		12 wells 30-100' Deep
<del></del>	Linden City Lundry			31		9		300	4		1	_		
<b></b>	Hollywood Drive in	26-31-332	I I	50		20		170	30	1	10	+		Edgan Rd. 26-219
	Hatfield Wire: CriocF	26-4-288		<u>58</u>	<del>                                     </del>	40	ļ	175		84	" 150g			Capped
				59					456	1	538	<u> </u>	i	
	1.	26-31-239		<u>59</u>	[	323		350	1		18/24	76	<u> </u>	0 . 4
	Delta Karl Faiskas	3-31-265		72	6	90	-	359	4/	50	-			362 Cantor Ave
	1	1	1		1	1	į	1	1	1	1	1.	j	1



### MERCK CHEMICAL MANUFACTURING DIVISION

MERCK & CO., INC. • RAHWAY, NEW JERSEY 07065

-77 [3] 14 Fij February 7, 1977

Mr. Richard Bellis
Assistant Director
Pollution Control Monitoring,
Surveillance & Enforcement
Dept. of Environmental Protection
P.O. Box 1390
Trenton, New Jersey 08625

Dear Sir:

On January 31, 1977, on a routine inspection tour of the site perimeter and Kings Creek outfalls a dense, dark substance was observed at Outfall 003 creek bed. The impurity proved to be orthodichlorobenzene (ODCB).

Since the material was contained between the outfall pipe and the dam (flow measurement weir), it was concluded this was a Merck concern and the emergency crew was dispatched to remove it from this outfall leading to Kings Creek. Our inventory of emergency spill cleanup materials was moved to the site. With the abnormal freezing temperatures it became necessary to pump the solvent to the adjacent wooded area for removal later under improved weather conditions. A salt-hay fence was set up at the dam face to contain any suspended ODCB.

During the cleanup operation Messrs. R. Harrison and E. Stevenson, DEP, investigated the operation and reported that the contaminated area was a "spill situation" and as such should have been reported to the authorities. This was done expeditiously. The inspectors offered their assistance in the cleanup operation. A sand ridge was installed below the concrete dam to contain any runoff. At no time did the material enter the main stream of the creek.

After a thorough investigation, it was concluded that some splashing from a line break on the ODCB still pump on the TBZ pad must have entered into the deluge system weir overflow which discharges to the surface drain and ultimately to the creek. The pump lines are to be replaced with stainless steel.

Later that day while touring the TBZ area, the inspectors noted an oil slick at the surface drain. A hydraulic line on a truck crane failed losing a pint of hydraulic fluid. This was also reported to the EPA office in Edison.

At this time the land contaminated mass has been removed from the area for drumming for chemical disposal. The hay has been incinerated.

Again we regret the incidents and please feel free to call if further clarification is desired. Area Code (201) - 574-5026.

/bwk

cc: Mr. William Librizzi, Jr.

EPA Edison
N.J. Surveillance & Analysis Division
Edison, New Jersey 08817

Very truly yours,

B. W. Hatelan

B. W. Hartelius Manager Environmental Control





### MERCK CHEMICAL MANUFACTURING DIVISION

MERCK & CO., INC. + RAHWAY, NEW JERSEY 07065

July 9, 1976

HWM

Mr. William Honachefsky Raritan River Basin Manager Surveillance & Enforcement Dept. of Environmental Protection P.O. Box 1390 Trenton, New Jersey 08625

Dear Sir:

Confirming my telephone conversation with your office this morning, we regretfully report an accidental spill of a dilute cobalt catalyst solution into former outfall 002 of Kings Creek. While the quantity was minimal, the blue dye did color the creek flow and dispersed rapidly upon dilution.

The spill was caused by an overflow of the chemical sewer drain into the deluge system overflow which apparently contained some of the cobalt dye from a previous cleanout. The excessive volume was the result of a diversion of the main pad sewer system flow in order to perform mechanical work on the drainage effort. The entire system was rinsed with a copious quantity of water.

As you are aware, we are essentially completing a vast repiping of the chemical and surface drains in the area and it is imperative that contamination of the deluge system overflow be eliminated. Corrective action will continue until the entire system functions as designed.

We regret the occurrence, and if you have any further questions regarding the spill please feel free to call. (201) 574-5026.

Very truly yours,


B. Wartelin

B. W. Hartelius

Environmental Control Manager


BWH:pf

cc: Mr. Nicholas J. Casselano
Environmental Engineer
United States Environmental
Protection Agency, Region II
26 Federal Plaza
New York, New York 10007



BLACK SUBSTANCE IN LOW POINTS IN KING'S CREEK, THIS MATERIAL WAS PUMPED OUT OF THE CREEK BY MERCK & CO., ON FEB. 7, 1980










## Oil and acid scharger at Merch + Co., whomay

G

**#**5





**\$3** 



#1,2 Discharge of concentrated

HCI (pH approx 1.0) from 002,


discovered by C. Johnson

and D. Cutugno on July
25, 1979.

#3 Heavy oil accumulation behind weir of outfall 003. This oil was eventually drained into kings Creek...

D. Citigno/ C. Johnson 7/25/79

## Discharges at Merck and Company, Inc., Rahway



Hydrochloric acid leaked from a bad pipe connection and emptied into a deluge system drain (arrow).




Kings Creek as it flows
under Rt. 1, downstream
of acid and oil discharge.

Mercik + Co. disclaims
any clean up responsibilities...

E. Kurtaran/D. Cutugno 8/1/79

## Discharges at Merck & Company, Inc., Rahurry



An inefficient pump in this sump to the sanutary system resulted in an overflow to the storm drainage. System.



Discharge outfall
from sanitary sump.
above. The water
being discharged is
used to spray 55 gallon
drums stored outside
on the premises of Herck. Co.

E. Kurtaran/D. Cutugno 8/1/79

# NPDES PLANT INSPECTION AND STATUS REPORT FORM

Permit No.		Date of Inspector Date(s) of Previous	tion: 📆 🚅 🕌 👝 💮
Incation 's to the second		Inspection	on(s): _
Mailing Address:		Inspecto	r(s): 5
bus a say in the company		Keceiving wa	ters:
	f ,	m.y. Classilica	CION: YW
Company Representative(s), Title(s)	:		tion: King the second of the s
R. M. Harrison, John Miller	Maring the Section of the Section	e form	
Number of Discharges Reported:	ed Discharges:		
There was a facilities of the contract of		Then I .	
(1) PROCESS			
And the second s		Action of the	, , , , , , , , , , , , , , , , , , ,
The state of the s	16. L. L. L.		
(1) PROCESS			
(a) Industrial Process: (b) Reported Production: (c) Current Production:		<b>/</b> —	
(c) Current Production: (d) Rated Production:	19 19 19 19 19 19 19 19 19 19 19 19 19 1	erise of six is because	* We want
(e) Raw Materials Used:			
(e) Raw Materials Used: (f) What process modification	expansions.	etc. have been	made that would
erther increase or decrease raw wast	te loads, wate	r usage, etc. t	hat have not
been previously reported:			
to the second second second			•
			•
North Commence of the State of	The state of the state of the	<i>i</i>	•
(g) Process flow diagram indic	ating wastewar	ter sources (at:	tach copy if on file
and verify with company):			
	2 "	, , , , , ,	
The supplies that the second s	• * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 *		•
(h) Continuity of Operation:	Batch	Sami (	Continuous
· · · · · · · · · · · · · · · · · · ·	batti	Continuous	Continuous
	<del></del>	concinaous	
(2) EFFLUENT LIMITATIONS VIOLATIONS	(Based upon S	Self-Monitoring	Data)
Discharge p	ermit	Danantad	Data / David
•	itation	Reported Discharge	Date/Period
- ar ame eet		b i s charge	of Violation

Hmu

Page 3 Inspection & Status Permit No:

The Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract o

•			-
ı	/ n I	COMPLIANCE	
n			

Eng Ather Brokers Is company complying with schedule of compliance?

What is the current projection of the company regarding compliance with future dates in Compliance Schedule? Could wrest 7-1-77 Top Barrery Frankley is under investigable . by Company .

(c) Is company complying with any additional compliance requirements such as a special report submittal to either EPA or another Agency?

Has company notified EPA of any non-compliance with permit conditions? Mary The March and Mary Mary Charles

(e) Has company requested modification of any permit conditions other than permit sampling schedules?

(f) Are any modifications appropriate? De Colone ochor a recome.

#### (4) SELF-MONITORING PROGRAM

- (a) Does quantity of reported self-monitoring data and signing official comply with requirements of permit?
- (b) What is the apparent quality of plant records that are required under the conditions of the permit?
- (c) If net values are applicable, is the surface water intake sampled and analyzed?
- Is there any additional monitoring being performed by the plant that has not been reported? If yes, what parameters and frequency is involved and what conclusions can be drawn from data?
- Do sampling locations appear to be adequate to obtain representative samples?
- Has company identified effluent sampling point used for each discharge pine by providing a sketch of flow diagram?
- How frequently and accurately is continuous monitoring equipment calibrated, and how well is the equipment maintained?

4m w

Page 4
Inspection & Status
Permit No.:

(h) In your judgement, do sampling procedures, frequency and type of sample typify plant's daily discharge (i.e. are maximum production periods, batch discharges, etc. reflected in monitoring data)?

(i) Does plant perform its own analysis?

If not, what laboratory is analysis contracted to?

If yes, what is the appearance of plant's laboratory?

(j) Do all sampling and analytical methods conform to the guidelines published pursuant to Section 304(g) of 1972 FWPCAA?

(k) Has plant requested modification to permit sampling schedules?

(1) Are any modifications appropriate?

#### (5) MISCELLANEOUS

- (a) Did the permit application truly represent conditions at the plant site?
- (b) Are any of the following toxic pollutants per Section 307(a) of 1972 FWPCAA being discharged that would require modification of the permit: Aldrin, dieldrin, benzidine and its salts, cadmium and all cadmium compounds, cyanide and all cyanide compounds, DDD (TDE), DDE, DDT, endrin, mercury and all mercury compounds, polychlorinated biphenyls, and toxaphene?

  If yes, what modifications are necessary?
- (c) Is sludge being generated at plant?

  If yes, is plant reporting on its disposal?

  If sludge disposal is at plant site, is there any visual evidence of entry of this material into navigable waters?

  If not at plant, where is the disposal site, and is it acceptable to regulatory agencies?

(d) What is the appearance of plant grounds?

(e) Is there any discharge of unreported contaminated storm runoff?

(f) Is the treatment system maintained in good working order and operated efficiently as possible?

(g) Is a full time registered treatment plant operator required? If yes, does the permittee have one?

Hmus

Page 5 Inspection & Status Permit No:

- (h) What alternate power supply provisions exist for waste treatment facilities?

  If none, what happens to the wastewater when there is a power failure?
- (i) Have all bypasses of waste treatment facilities been eliminated: If not, why? If not, is flow monitoring installed in bypass?
- (j) Are there any obvious air emission, noise, radiation, pesticides, or solid wastes problems at the plant?
  What are they?
  If yes, send copy of this report to the appropriate personnel.
- (k) Does plant require a Spill Prevention Control Countermeasure Plan?
   (Note: SPCC plan is required if the permittee stores more than:
   1,320 gallons of oil above ground:

Action we concer

THE CONTRACTOR

Salva Carlotta De Carlotta

2. 660 gallons of oil in a single container above ground;

3. 42,000 gallons of oil underground.)

If so, is the plan approved by a licensed P.E?

6

### SUMMARY AND RECOMMENDATIONS

Violations	and/or	Prob1	eins
11010010113	una, or		. (,1113

Recommended Action

U. Janian	and discharges
	THE PIPE
Co. Land	toronte margine
The Contract of the Contract o	A Charles and a configuration of the configuration

Comments

	Inspector Signature: Name, Title, & Date:	<del></del>
Copies to: (check if sent)	Initialled:	<del></del>
State EPA Attorney	Group Leader:	
Original to Group File Other(Indicate)	Section Chief:	

FEB 2 2 1982

Mr. Tom Puchalski
Manager Environmental Control
Nerck & Company
P. O. Box 2000
Building R51-12
Rahway, NJ 07065

Re: Compliance Monitoring Inspection
Merck Chemical Division
Rahway
NPDES Permit No. NJ 0002348

Dear Mr. Puchalski:

On October 1, 1981, a compliance monitoring inspection was a conducted at Merck Chemical by Division personnel.

The inspection revealed an unpermitted discharge from a 24 inch pipe at the north end of the property near the TBE area. It was determined that sump pumps that discharge this wastewater to the sanitary sever were malfunctioning and the bypass was discharging to King's Creek. It was also determined that this bypass would occur during periods of heavy rainstorms. This wastewater discharge was found to have a COD of 369 mg/1, a total dissolved solids of 1,344 mg/1, and 34 ug/1 of m-xylene.

Therefore, Merck and Company is directed to apply for a NPDES stormwater permit for the 24 inch discharge pipe that bypasses the sanitary sewer. The permit application may be obtained by contacting Dr. Richard A. Baker, USEPA, 26 Federal Plaza, New York, HY 10278. Written documentation of this modification request must be submitted to this Office by April 1, 1932.

Enclosed for your information are copies of the inspection report and laboratory analyses of samples collected at the time of inspection

Mr. Tom Puchalsk Page 2

Should you have any questions concerning this letter, please contact Mr. Paul Harvey at (609) 292-0686.

Very truly yours,

Charles L. Maack

Supervising Environmental Engineer

Region II

Enforcement & Regulatory Services Blement

A43:G9

Enclosure

Dr. Richard A. Baker, USEPA Region II

bcc: Enf. File

Harvey \*

Maack:

Mount

NPDES File

Mumman/Region II File





# NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF WATER RESOURCES P.O. Box 2809 Trenton, N.J. 08625

## DISCHARGE SURVEILLANCE REPORT

W A	
	,
T	

	MERCY + Compa	BNY		<del></del>
OWNER:				
MUNIC: RAHW	~ . I	( )		
		COUNTY: YNIUN	WATERSHED	CODE:
LOCATION:		0		
		EEK, RAHLAY RIVERS	STREAM CLASS:	FW-2
LIC. OPERATOR &	PLANT CLASS:			
TRAINEE/ASST:		OTHER INFO:		
MAJOR DEFICIENCIE	ES NOTED: UNC	ERMITTED 24"	OUT COLL	2. Cc . C.
( 0 0	is notes. The	EXMITTED CY	UNITALL I	TIFE - +LCO
Symp Fum	PS MALFYNICTH	uning.		
	<del></del>			
				<u> </u>
OVERALL RATING:		/Uconditionally	ccentable	/
OVERALL RATING:		/U/Conditionally A	cceptable	/_/Unaccepta
EVALUATOR: PAY	L HARVEY	TITLE: ENU	CCCEPTABLE  CLNMENTAL S	
EVALUATOR: PAY	L HARUEY  SHED BY: (name)		CLNMENTAL S	-



N.J.D.E.P. D.W.R.

JISCHARGE SURVEILLANCE REPORT

Page 2 of 3 (I) Permit #: NJ 00023 48 Date: 10/1/81

	INDUST		REATMENT PROCESS EVALUATION
R/	ATING CODES: S = Satisfacto	orv M	= Marginal U = Unsatisfactory NA = Not Applicable
		RATING	comments
	DISCHARGE #		003 004 005
1	WASTEWATER SOURCE(S)		COCLINE, RYNOFF
4	CONTINUITY OF OPERATION		CONTINUOUS
Ⅱ	BYPASSES/OVERFLOWS	1	
GENERAL	S.P.C.C. PLAN	1	
5	ALARM SYSTEMS		
	ALTERNATE POWER SUPPLY		
L			
1			
1			
ES			
SS			
		<del> </del>	
PROCESSES			
<u>a</u>	N 17	<del> </del>	
ļ ţ		<del> </del>	
TREATMENT			
E		<del> </del>	
E			
H			
1			
2			
HANDL ING			
2			
≨	11.17.	<b></b>	
1 1			
SLUDGE			
S	DISPOSAL SITE		
1 1	DIDIOSAL SILE		
$\vdash$	FLOW METER & RECORDER		
	RECORDS		
1 1	SAMPLING PROCEDURES		
] }	ANALYSES PERFORMED BY		
	ANALISES PERFURMED BI		
z i			
≨			
Ž			
INFORMATION			
Al			
		<b></b>	
يم	· · · · · · · · · · · · · · · · · · ·		
選			
OTHER	·····		
	FINAL EFFLUENT APPEARENCE	5	
	. ```		
	REC. WATERS APPEARENCE	5	



### N.J.D.E.P.



## D.W.R. DISCHARGE SURVEILLANCE REPORT

m DV 8	WR-053-A	DISCHARC	N.J.D.E.P.  D.W.R.  Page 2 of 3 (I)  Permit #:  Date: 10
RA	INDU ATING CODES: S = Satisfa	STRIAL TR	REATMENT PROCESS EVALUATION  - Marginal U = Unsatisfactory NA = Not Applicable
GENERAL	DISCHARGE # WASTEWATER SOURCE(S) CONTINUITY OF OPERATION BYPASSES/OVERFLOWS S.P.C.C. PLAN ALARM SYSTEMS ALTERNATE POWER SUPPLY		COMMENTS  UNDERMITED 24" BISCIPPLUE PIPE - NURTH END  RYNCFF FROM PROCESS AREA -> SANITARY SEWER MANNEY  INTERMITTENT -  FUMPS MALFUNCTIONING
TREATMENT PROCESSES			
	DISPOSAL SITE		
	FLOW METER & RECORDER RECORDS SAMPLING PROCEDURES ANALYSES PERFORMED BY		
INFORMATION	STURM WATER	4	WILL DISCYPALL BURING RAIN STURM UNTERMITTED
OTHER	FINAL EFFLUENT APPEARENCE	Ч	Oak, Tyrbio
1	REC. WATERS APPEARENCE	3	

END



## CN 029, Trenton, N.J. 08625

Page 3 of 3

Permit # NJ 0002348

#### DISCHARGE SURVEILLANCE REPORT

PLANT DIAGRAM AND FLOW SEQUENCE: SOUTH END COOLING 4 004 Kinas STURM WATER FROM RESEARCH AREA EAST END (FRONT) 003 RYNOFF FROM ->

DISCHARGE DATA - SEE ATTACHED SHEETS

SOURCE: \_ PERIOD: \_

DIS	PARA	SAMPLE TYPE	PERMIT LIMITS	DATA	DIS	PARA	SAMPLE TYPE	PERMIT LIMITS	DATA
				•					
									<del></del>
									·

MONITORING DEFICIENCIES:	

### STATE OF NEW JERSEY tion

/79	Department of Environmental Protect
LEASE TYPE OR PRINT ITH BALLPOINT PEN	Water Analysis

	•	•
MUNICIPALITY RAHWAY	COUNTY UNIO	N STREAM KINGS CREEK
FACILITY MERCK	LOCATION RT.	
REPRESENTATIVE	TITLE	COLL NAME P. HARVEY
REMARKS UNPERMITTED	DICHARGE - 2	4" CONCRETE PIPE
NORTH SIDE OF	PROPERTY	26PM OVERFUM FRUM

200 BACT, LAB NO. DATE REC'D. BOTTLE NO. DATE REC'D. STORET ENT.

) - Water Resources Copy (For Transmission)

) - Bacteriology Copy

MORTH SI	ve of prope	exty 2	6 PM	OVERFUM SYMP	trum	_}	- HEAU			
Statio	on Identification Numb	Der YI	R. MO. D	AY HOUR			Sample No.			
sc,		8	1100	1 1410		8 ,			,	]
FIELD ANAL	YSIS	BACTERIOLOGICA	AL - DILUT	IONS (REQUESTE			-		<del></del>	<del></del>
□ Water Temp <sup>O</sup> C P00010.		Fecal Coliform Total Coliform	10 1 10	1 1 1 1 1	0;	(LAB) alinity CaCo <sub>3</sub>	P00400,	-	++	+
D.O Winkler P00300,		Fecal Streptoconci	10 1 16	-2 -3 -4 -5 - 10 10 10 1	. 1	. Acidity	P00436,		+	+
D.O. Probe P00299,	,	T - 600 COII	N P31615, P31613,		□ Chi	oride	P00940,	5	70	
PH (Field) P00400,	<del>                                     </del>	#100 ml U MF	F31013,		⊣,   □ мв	AS	P38260,		$\prod$	
Sample P00003,	4444,	Fecal Strept MPN/100ml	P31677,			nois	P32730,			11
Stream P00061,	,	(VIFIV/100ml	,		ار Har ا as C	dness - tot aCo <sub>3</sub>	P00900,		11	11
☐ Gage Height-ft. P00065	1111.	☐ Tot coli	<u>.</u>		¬ □ sui:	_	P00945,		††	++
☐ Spec. Cond.		MPN/100 ml	P31505,		_, <b>հ</b>	& Grease	P00556,	55	<del>                                      </del>	+
☐ Salinity 0/00 P00480,		BIOCHEMI	CAL OXYGI	N DEMAND		oleum Irocarbons	· ·	1	++	++
☐ Tide Stage P70211,		1		SAMPLE	□ cya		P00720.	H	$\dagger \dagger$	+
CONDITION	CODES	SEED	YES (	NO (				블	<del></del>	<del></del>
→ Weather		CONC. %			☐ As ·	tot ug/l	P01002,			
☐ Weather Conditions	P00041,	800_				tot ug/l	P01027,			$\coprod$
☐ Flow Severity	P01351,	□ BOD □	-DAY P310.		ך ⊠ cr ⋅	tot ug/l	P01034	8 5	7	
Severity	P013,		-DAY P312,			tot ug/l	P01042. 2	3		
Severity	P013,,	COD TO Level	P335,	269	□ Fe -	tot ug/l	P01045,			
NUTRIENTS		COD High Level	P340,	369	], ☐ н <sub>9</sub> .	tot ug/l	P71900.	1 1		
LEVEL 🗌 HIGH	Low	□тос	P00680,		7 🗆 Mn -	tot ug/l	P01055,			
□ NO <sub>2</sub> - N P00615,					J, <b>©∕</b> Ni-	tot ug/l	P01067.	οK	1	
NO2 + NO3 N P00630,		Color Pt - Cou	P00080,		₽b -	tot ug/l	P01051.	4	$\dagger \dagger$	+
□ NH <sub>3</sub> N P00610,		☐ Turbidity	P00070.		Zzn .	tot ug/l	P01092	61		+
Tot Kjeldhal N P00625,		P.H. Suspended Solids	P00530.		<b>√,                                    </b>		TIONAL ANA		<u></u>	
- 1	<del></del>	Suspended Solids	P00540.		<b>.</b>	Р			$\overline{\Box}$	П
Ortho - PO <sub>4</sub> as PO <sub>4</sub> P671,		fixed  Tot. Solids	•		//		•	-	$\vdash$	++
	<u> </u>	_	P00500,		, , , ,			-	+	+-+-
husphorus-tot as PO <sub>4</sub> MP655,	1.20	Tot. Solids - fixed  Tot. Dissolved  Solids (TDS)	P00510,	1344	·					1_1
		3011d\$ (1DS)		11711	J, HESUL	IS mg/L u	inless otherwi	e note	d 	
Date	Time		IN OF CUST				To (Name)			
ZISAMPLE WILL E	XOEED THE RE	COMMENDED	· · · · · · · · · · · · · · · · · · ·	<del></del>						
CLOSAMPLE WILL EXCEED THE RECOMMENDED OLDING THE FOR THIS PARAMETER BEFORE HE ANALYSIS CAN BE PERFORMED BY THE										
DOT LABORATORY	LE PERFORM	ED BY THE					-			

) - Water Quality Inventory Copy Part 3(

Part 4(

) - Chemistry Copy

Part 1,

Part 2(



دەر



Form VST- 001 8/79

STATE OF NEW JERSEY Department of Environmental Protection

WITH BALLPOINT PEN		water Analysis	BACT. LAB NO.
MUNICIPALITY RAIWAY FACILITY MERCK REPRESENTATIVE	LOCAT	TION RT. 1 2	PRIVER BOTTLE NO. 06555
REMARKS DSN 005	TITLE	COLL NAME P. HA	ACLY DATE REC'D
		A J S s	STORET READ
Station Identificat	ion Numb		Sample No.
			P 8 ,
FIELD ANALYSIS		BACTERIOLOGICAL - DILUTIONS (REQUESTED)	□ p <sup>H</sup> (LAB) P00400.
☐ Water Temp <sup>O</sup> C P00010,		Fecal Coliform  Total Coliform  10 1 10 10 10 10 10 10 10	Alkalinity as CaCo <sub>3</sub> P00410,
☐ D.O Winkler P00300,	Д.	Fecal Streptococci 10 1 10 10 10 10 10 10	☐ Min. Acidity as CaCo <sub>3</sub> P00436,
☐ D.O. Probe P00299, ☐ PH (Field) P00400,		Fecal coli	Chloride P00940, 25
Sample Poposs,	+	,	☐ MBAS P38260, ☐ Phenois P32730.
Stream P00061,	1	Fecal Strept P31677, P31677,	☐ Phenois P32730, ☐ Hardness - tot as CaCo <sub>3</sub> P00990,
Gage Height-ft. P00065		Tot coli	Suifate P00945,
Spec. Cond. @ 25°C P00095,	┧,	MPN/100 mi P31505,	☐ Oil & Grease P00556,
☐ Salinity 0/00 P00480, ☐ Tide Stage P70211	┤,	BIOCHEMICAL OXYGEN DEMAND INITIAL D.O. (lab.)SAMPLE	Petroleum Hydrocarbons P45501,
		SEED YES NO THE	☐ Cyanide P00720,
CONDITION CODES		CONC. %	☐ As - tot ug/l P01002,
☐ Weather Conditions P00041,	$\Box$ .	BOD	☐ Cd - tot ug/l P01027,
☐ Flow Severity P01351,	Ц,	□ BOD □ 5-DAY P310,	Cr - tot ug/l P01034, 13
Severity P013	<b>├</b> ─┤,	☐ 6-DAY P312,	☐ Cu - tot ug/l P01042,
Severity P013	· 📋 ,	COD COD Level P335,	☐ Fe - tot ug/l P01045,
NUTRIENTS		2 High Level - 1346,-	☐ Hg - tot ug/l P71900,
LEVEL   HIGH   LO	ow ,	□ TOC P00680.	☐ Mn - tot ug/l P01055,
□ NO <sub>2</sub> · N P00615,	<del>                                     </del>	,	□ Ni - tot ug/l P01067,
NO2+NO3-N P00630,	<del>                                     </del>	Color Pt - Cou P00080,	Pb - tot ug/l P01051,
☐ NH <sub>3</sub> · N P00610, ☐ Tot Kjeldhal N P00625,		Turbidity P00070,	₩ zn - tot ug/l P01092, 3 5 2
Tot Kjeldhal N P00625,	<u> </u>	Suspended Solids P00530, 34	ADDITIONAL ANALYSIS
Ortho - PO <sub>4</sub> as PO <sub>4</sub> P671, P660,		Suspended Solids P00540, Control of ixed P00500, Control of ixed P005000, Control of ixed P00500, Cont	
_		☐ Tot. Solids - fixed P00510,	П
husphorus-tot as PO4 P650,	<u> </u>	Tot. Dissolved P70300, 198	RESULTS mg/L unless otherwise noted
Date Tim	e	CHAIN OF CUSTODY From (Name)	To (Name)

Part 1, Part 2( ) - Water Quality Inventory Copy Part 3( ) - Chemistry Copy

Part 4(

) - Water Resources Copy(For Transmission) ) - Bacteriology Copy

Form VST-001 8/79

STATE OF NEW JERSEY

_	り	

رن ر Department of Environmental Protection PLEASE TYPE OR PRINT WITH BALLPOINT PEN Water Analysis BACT. LAB NO. DATE REC'D. RAHWAY COUNTY YNION KINIS CREEK 06556 BOTTLE NO. FACILITY LOCATION RT. REPRESENTATIVE TITLE COLL NAME DATE REC'D. REMARKS ळप T. ENT. STORET READ Station Identification Number YR. MO. DAY HOUR Sample No.

sc,	811991 1340.	P 8 , ,
FIELD ANALYSIS	BACTERIOLOGICAL - DILUTIONS (REQUESTED)	
<del></del>	Fecal Coliform -1-2-3-4-5-6	□ p <sup>H</sup> (LAB) P00400,
☐ Water Temp <sup>O</sup> C P00010,	Total Coliform 10 1 10 10 10 10 10 10	as CaCo <sub>3</sub> P00410,
☐ D.O. · Winkler P00300,	Fecal Streptococci 10 1 10 10 10 10 10 10 10	☐ Min. Acidity P00436,
☐ D.O Probe P00299,	, Fecal coli MPN P31615,	(Chiloride P00940, 9 4
☐ P <sup>H</sup> (Field) P00400,	#100 ml  MF P31613,	☐ MBAS P38260,
Sample Depth-ft. P00003,	Fecal Strept P31677, P31677,	☐ Phenois P32730,
Stream P00061,	MPN/100ml	Hardness - tot P00990,
☐ Gage Height-ft. P00065	Tot coli	☐ Sulfate P00945,
☐ Spec. Cond. ● 25 °C P00095 ,	MPN/100 ml P31505,	Oil & Grease P00556,
☐ Salinity 0/00 P00480,	BIOCHEMICAL OXYGEN DEMAND	Petroleum Hydrocarbons P45501,
☐ Tide Stage P70211.	INITIAL D.O. (lab.)SAMPLE  SEED YES   NO ; ;	☐ Cyanide P00720,
CONDITION CODES		
_	CONC. %	☐ As - tot ug/l P01002,
Conditions P00041,	, BOD_	☐ Cd - tot ug/l P01027,
☐ Flow Severity P01351,		DCr - tot ug/1 P01034, 1155
Severity P013,	5 -DAY P310, 6-DAY P312,	DP Cu - tot ug/1 P01042
Severity P013	Jow Level P335,	☐ Fe - tot ug/l P01045.
	COD THigh Lovel P3407 29	☐ Hg - tot ug/t P71900,
NUTRIENTS LEVEL □ HIGH □ LOW		<del>}                                    </del>
	□ TOC P00680,	Mn - tot ug/l P01055,
□ NO <sub>2</sub> - N P00615,		M Ni - tot ug/l P01067. 2 4
□ NO <sub>2</sub> + NO <sub>3</sub> · N P00630,	Color Pt - Cou P00080,	Pb - tot ug/l P01051,
□ NH <sub>3</sub> · N P00610,	Turbidity P00070,	1 Zn - tot ug/l P01092,4 4 1
Tot Kjeldhal N P00625,	☐ Suspended Solids P00530,	ADDITIONAL ANALYSIS
	Suspended Solids P00540,	P
Ortho - PO <sub>4</sub> as PO <sub>4</sub> P671, P660,	, Tot. Solids P00500,	PP
P	Tot. Solids - fixed P00510,	P,
Phosphorus tot as PO <sub>4</sub> P650,	Tot. Dissolved P70300, 5   8	RESULTS mg/L unless otherwise noted
Date Time	CHAIN OF CUSTODY From (Name)	To (Name;

Date	Time	CHAIN OF CUSTODY From (Name)	To (Name)
		·	
Chemist Review		Part 1, ) - Water Quality Inventory Copy	Part 3( ) - Water Resources Copy(For Transmission)

) - Chemistry Copy

Part 4(

) - Bacteriology Copy

Part 2(

Form VST-001 8/79





#### STATE OF NEW JERSEY Department of Environmental Protection PLEASE TYPE OR PRINT Water Analysis

FACILITY	UNION	- MINGS (RFF
	LOCATION PT.	Tring Green
REPRESENTATIVE	TITLE	COLL NAME P. HARVEY
REMARKS DIN DO	3	Service and the service and th

COC	
BACT. LA	B NO
DATE RE	
BOTTLE	40. OESS7
DATE RE	C'D
STORET	ENT

Station Identification	n Numt	er YR. MO. DAY HOUR	Sample No.
sc,		811001 1350	, P8, , , ,
FIELD ANALYSIS		BACTERIOLOGICAL - DILUTIONS (REQUESTED	
		Fecal Coliform -1-2-3-4-5-6	DH (LAB) P00400,
□ Water Temp °C P00010,	Ц.	Total Coliform 10 1 10 10 10 10 10 10	as CaCo <sub>3</sub> P00410.
D.O Winkler P00300	Ц.	Fecal Streptococci 10 1 10 10 10 10 10 10 10	☐ Min. Acidity as CaCo <sub>3</sub> P00436.
D.O Probe P00299,	Ц,	Fecal coli	©Chloride P00940, 106
P <sup>H</sup> (Field) P00400,	Ц,	#100 ml	☐ MBAS P38260,
Sample Depth-ft. P00003.	Ц,	Fecal Strept P31677,	☐ Phenois P32730,
Stream P00061,	Ц,	MPN/100ml P31677,	Hardness - tot as CaCo <sub>3</sub> P00900,
Gage Height-ft. P00065		Tot coli	☐ Sulfate P00945,
☐ Spec. Cond. @ 25 °C P00095,		MPN/100 ml P31505,	Oil & Grease P00556,
☐ Salinity 0/00 P00480,		BIOCHEMICAL OXYGEN DEMAND	Petroleum
☐ Tide Stage P70211,		INITIAL D.O. (lab.)SAMPLE	
CONDITION CODES		SEED YES NO	Cyanide P00720,
	_	CONC. %	☐ As - tot ug/1 P01002.
□ Weather Conditions P00041,	⅃.	BOD_	☐ Cd - tot ug/l P01027,
Flow Severity P01351,	_ ,	□ BOD □ 5-DAY P310. □	☐ Cr - tot ug/I P01034,
Severity P013		6-DAY P312,	□ Cu - tot ug/l P01042,
Severity P013	J.	Low Level P335,	☐ Fe - tot ug/I P01045,
NUTRIENTS		COD THICK LOVEL P340, 15	☐ Hg - tot ug/l P71900
LEVEL   HIGH   LOW	Į	□ TOC P00680. □ □ □	☐ Mn - tot ug/I P01055
NO2-N P00615,	T	P00680, ,	□ Ni - tot ug/l P01067,
NO2 - NO3 - N P00630,	┼┤╷╏	Color Pt - Cou P00080.	<u> </u>
□ NH <sub>3</sub> N P00610,	<del>                                     </del>	Color Pt - Cou P00080,	\_
Tot Kjeldhal N P00625,	<del>                                     </del>		☐ Zn - tot ug/t P01092,
, , 55025,	╙,	D Suspended Solids P00530, U	ADDITIONAL ANALYSIS
Ortho PO4 as PO4 P671, P660,	$\sqcap$ $\mid$	Suspended Solids P00540, fixed	P
P660, P660	└	Tot. Solids P00500,	
hosphorus-tot as PO <sub>4</sub> □P650,	$\neg$ $\mid$	Tot. Solids - fixed P00510,	О Р
. 04 = 1000,	<u> </u>	Tot. Dissolved Solids (TDS) P70300, 454	RESULTS mg/L unless otherwise noted
Date Time		CHAIN OF CUSTODY From (Name)	To (Name)

Part 1, Part 2( ) - Water Quality Inventory Copy Part 3( ) - Chemistry Copy

Part 4(

) - Water Resources Copy(For Transmission)

) - Bacteriology Copy

Form VST-010 <0°C STATE OF NEW JERSEY-8/79 Department of Environmental Protection PLEASE TYPE OR PRINT BACT, LAB NO. **Division of Water Resources** WITH BALLPOINT PEN **WATER ANALYSIS** DATE REC'D. MUNICIPALITY STREAM KINGS (REFK RAHLAY COUNTY YN100 BOTTLE NO. LOCATION MERCK DATE REC'D. REPRESENTATIVE TITLE COLL NAME REMARKS DZN 00.3 STORET ENT. READ BLANK # STATION IDENTIFICATION NUMBER YR. MO. DAY HOUR SC FIELD ANALYSIS **ANALYSIS** UNITS **PARAMETER** VALUE RMKS. ☐ Water Temp OC P10. D.O.-Winkler P300. P D.O.-Probe P299. P chlorosthane 2 , ]] □ pH (Field) P400. Sample Depth-ft. P3, P ☐ Gage Height-ft. P65. Р Spec. Cond. @ 25 °C P95, ☐ Salinity 0/00 P480. P ☐ Tide Stage ₱70211 Ρ BACTERIOLOGICAL - DILUTIONS (REQUESTED) Fecal Coliform P Total Coliform 10 10 10 10 10 - 4 10 -5 -6 10 10 P - 3 Streptococci 10 10 10 P Fecal coli P Fecal Strept
MPN
/100 ml P31677, P Ρ Tot coli
MPN/100 mi P31505, P Ρ BIOCHEMICAL OXYGEN DEMAND P INITIAL D.O. (lab.) \_ \_ SAMPLE SEED YES 🔲 NO P CONC.% P P BOD Ρ □5-DAY P310, □6-DAY P312, □вор P CHAIN OF CUSTODY FROM (NAME) DATE TIME TO (NAME)

- Water Quality Inventory Conv

Chemist Review

Form VST-010 8/79	STATE OF NEW JERSEY	_ ( 5	COC	Ymm B
PLEASE TYPE OR PRINT WITH BALLPOINT PEN	Department of Environmental Pr Division of Water Resource WATER ANALYSIS	otection .	BACT, LAB NO.	
KITTACT	JATY UNION STREAM	HINGS CREEK	BOTTLE NO.	06558
REPRESENTATIVE TITL	LE COLL NAM	4E ()	DATE REC'D.	
Z GPM - CUERFLW F	HARGE- 24" CONCRETE PIPE FRUM SUMP	NORTH SIDE	STORET ENT. READ	
		YR. MO. DAY	HOUR	
sc,		शागवना ग	410,	
	BLANK # 21432			
FIELD ANALYSIS		I NUMBER OF THE PROPERTY OF TH		
□ Water Temp °C P10.	V.O. SCAN	UNITS PARAM	ETER VAI	LUE RMKS.
D.OWinkler P300,	H, 1 = 0.0 ( 0.0 ) W	PP P		
□ D.OProbe P299.			1 1 1 1 1	+++++
□ p <sup>H</sup> (Field) P400,	m-xylene		1,34	<del>                                      </del>
☐ Sample Depth-ft. P3,		P	<del>                                      </del>	
☐ Gage Height-ft. P65,	H,   <u>-</u>	P   -	, , ,	,
Spec. Cond. @ 25 °C P95,	<b>一</b> ,   <u>-</u>	P	11,11	, ,
☐ Salinity <sup>0</sup> /00 P480,	<u> </u>	P	, ,	,
☐ Tide Stage P70211,		P		
		P		
BACTERIOLOGICAL - DILUTIONS (REQUESTE	ED)	Р Р		
	-6 10	P		<del>                                      </del>
Fecal -1 -2 -3 -4 -5	-6 10	P	,	,
Fecal coli MPN P31615.	ㅠ   느	P		,
/100 mt		P		,
Fecal Strept P31677, P31677,		P	,	,
/100 ml	┴ <b>┘</b> ,│ <u>└</u>	P	, , ,	<u>                                     </u>
☐ Tot coli		P		
Tot coli MPN/100 mi	<b>∐</b> , □	P	,	
BIOCHEMICAL OXYGEN DEMAND		P	,	
INITIAL D.O. (lab.) SAMPLE		P		
SEED YES NO		P		<del>                                     </del>
CONC.%		P		<del>                                     </del>
вор		P	++'+++	
		P		
□ BOD □ 5-DAY P310, □ 6-DAY P312,		P P		,
DATE TIME	CHAIN OF CUSTODY FROM (NAME)		TO (NAME)	
mist Review	D . 4			



### HEMICAL

RAHWAY, NEW CO., INC. JERSEY 07065

May 19, 1975

Itwin

Mr. R. Hills, Chief Inspector Central Jersey Regional Air Pollution Control Agency 655 Amboy Avenue Woodbridge, New Jersey 07095

Dear Richard:

RE: Ammonia & TBZ Odors

On May 12, 1975 at 1 A.M. a strong ammonia odor eminating from King's Creek along Route #1 was reported by the Linden police. Mr. R. Bartz, Merck supervisor, was called to the plant and after finding the source of the problem at Bldg.92 had the Merck Fire Department flush the lines to the creek.

At 2:30 A.M. Mr. L. Dubino was called into the plant in response to a guard's call to Mr. Bartz. Lou took Al Lauritsen, CNJAPCA, on a tour of the plant and showed him the source of the problem - a safety relief valve on a heat exchanger was discharging to the Bldg.92 pad and overflowing to the surface drain. The TBZ odor was probably rinsings from the area. The odor problems apparently had disappeared while the tour was in progress.

Investigating the problem the following day it appears that a pressure switch on a water pump to the heat exchanger had failed and the combination of ammonia and water pressure exceeded the relief valve pressure setting. If the plant were operating at full capacity the pressure would not have exceeded the setting.

While we do try to foresee all these problems before they occur, changes in schedules do alter normal flows of raw materials.

Citation received May 16, 1975.

Yours very truly,

B. W. Hartelius, Manager

Environmental Control

BWH: bwk





### MERCK CHEMICAL MANUFACTURING DIVISION

MERCK & CO., INC. • RAHWAY, 'NEW JERSEY 07065

Did of

December 6, 1976

Mr. Richard Bellis
Assistant Director
Pollution Control Monitoring,
Surveillance & Enforcement
Dept. of Environmental Protection
P.O. Box 1390
Trenton, New Jersey 08625

Dear Sir:

On Tuesday, November 23, 1976, at 4 P.M., Messrs. R. Harrison and E. Stevenson, Water Resources Division, Department of Environmental Control, visisted the plant as a result of an ammonia odor eminating from Kings Creek. During the ensuing inspection tour, two other abnormalities were observed, i.e., a colored discharge from the barn area and an oil slick on the outfall stream. The probable cause and program to prevent recurrences are as follows:

- a. Ammonia odor A break in the liquid ammonia line to the refrigeration building required a shutdown of the system and relief of ammonia pressure. The ammonia was absorbed in water, as part of the shutdown procedure, and in dumping the solution some was inadvertently drained to the surface water network. Repairs to the piping were made expeditiously. Appropriate emergency measures will be taken in the future to insure such effluent will be diverted to the chemical waste stream.
- Animal wastes The greenish colored effluent the inspectors observed at outfall 003 was traced to animal wastes and barn washings. A plugged sewer line caused the lift stations to overflow while repairs were in progress. The tank effluent was temporarily pumped to a secondary sanitary sewer outlet until repairs were completed. It was found to be caused by animal feed pellets which packed the 4 inch sewer line. Obviously the repair crew must be trained to divert the effluent completely in such emergencies before investigating the source of the problem.

cc: Mr. William Librizzi, Jr.
 EPA Edison
 N.J. Surveillance & Analysis Division
 Edison, New Jersey 08817

Mr. Nicholas J. Casselano Environmental Engineer United States Environmental Protection Agency, Region II 26 Federal Plaza New York, New York 10007

12/6/76

c. Oil slick - While the source of the oil was probably parking lot surface drainings, an ortho dichlorobenzene (ODCB) odor was detectable in the creek bed. The ODCB was traced to a 3 gallon sump in a surface drain in the operations area above which a tank wagon had been cleaned after an ODCB pumping operation. The residue was ultimately washed into the creek by a wash-down operation. After the spill the drain was sealed. Being heavier than water the ODCB ultimately settled into the creek bed.

To contain the oil two "hay" fences were constructed across the creek and the outfall. Coastal Services, Inc. was called in to assist in the containment using booms and adsorbent. The hay and adsorbents will be disposed of by incineration. The ODCB, sand mixture will be physically removed and drummed for land disposal.

A permanent fence will be installed and an inventory of hay and adsorbent material will be made readily available. We are also investigating a contractual agreement with an oil spill and hazardous chemical firm to assist in the event of future spills. We have undertaken a program of color-coding surface drains and chemical drains to avoid the above and other recurrences. Lastly and foremost training is essential for all personnel in all areas to appreciate waste disposal and spill prevention procedures. We will have a refresher course for all personnel concerned to review the above incidents as well as to reaffirm these waste disposal and spill protection procedures.

We regret the incidents and if further clarification is necessary please feel free to call me at Area Code (201) - 574-5026.

Very truly yours,

B. W. Hartelius

Manager Environmental Control

BWH:bwk

### INCIDENT REPORT

					,
D.W.M. ASSIGNED CASE NUMBER	1814-119-12151	-101011	HOT LINE	C.J.	INDEXED []
1/101-1215-1812	TIME (Military)		D.W.M. IE		21013
INCIDENT REPORTED BY:					
NAME WALTER OL	ENICK			PHONE 201-	648-2560
AFFILIATION AIR POLLUT		× (	·-·	. 1	CODE
STREET	1010 0015			eranin erani	
PAR-TRUY O	FFICE			STATE N.	J ZIP CODE
INCIDENT LOCATION:					
MIEIRICIKI + 19101	_	<u>                                     </u>		PHONE	-4000
FILE OF THE PROPERTY OF THE	•	L. 1   1   1	1 1 1 1	UTM VERT	UTM HORIZ
CITY RIAIHIWIAIYI I I I I I		COUNT	1 <u>5</u> 101 1	SIATE	ZIP CODE
SOURCE OF SPILLED AND/OR DISCH.	ARGED SUBSTANCE:	Confirmed	Alleg	ed [] N	lore Than 1 Source
COMPANY NAME MERCK + CO.				PHONE 514	- 4000
CONTACT		TITLE	,		
STREET 126 E. CINC	NA AV	······································		DEP COMPA	NY NO.
CITY RAHWAY	<u> </u>	COUNT		STATE N. J.	ZIP CODE
SUSPECTED SPILLED AND/OR DISCHA	ARGED SUBSTANCE:	Confirme		ب سبب عصل سبب ، جیزہ سے ، سیا	More Than 2 Substances
1. MERCAPTO COL	neounds	-			SUBSTANCE NO.
AMOUNT SPILLED	UNITS	NLISI	A/P/E	1	S/L/G/M
100		199		]	SUBSTANCE NO.
AMOUNT SPILLED UNITS A/P/E				S/L/G/M	
	<u> </u>				
1101-12141-18121		MP. WE	ATHER	WIND	(Dir. & Vel.)
	(Military) TE	MP. WE	ATHER	WIND	Dir. & Vel.)
1101-12141-18121	·	MP. WE	ATHER	WIND	•
1 10 - 24 - 182 SPILL ORIGIN	·	MP. WE	ATHER	WIND	СОЙЕ
0  -   2   4  -   8   2     SPILL ORIGIN   CAUSE	·	MP. WE	ATHER	WIND	CODE L_L_
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS	0013101		ATHER	WIND	CODE L_L_
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT REFERRED TO: (CE OK-	TED TO INIT	IALLY		PHONE	CODE  L_L  CODE  L_L  L_LL  CODE
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT REFERRED TO: REPORT AGENCY  CENTRAL TERS  CONTACT	TED TO INIT	IALLY			CODE
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT REFERRED TO: REPORTAGENCY  CENTRAL JERS	TED TO INIT	IALLY		PHONE  Si 2 (	CODE
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT HEFERRED TO: REPORT AGENCY  CENTRAL JERS  CONTACT  RICH HILLS	TED TO INIT	IALLY		PHONE  Signal  AGENCY COL	CODE
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT REFERRED TO: REPORT AGENCY  CENTRAL TERS  CONTACT  RICH HILLS  PRIMARY D.W.M. INVESTIGATOR	TED TO INIT	IALLY	-7-11 AG	PHONE  Signal  AGENCY COL	CODE
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT REFERRED TO: REPORT AGENCY  CENTRAL TERS  CONTACT  RICH HILLS  PRIMARY D.W.M. INVESTIGATOR  NO FURTHER ACTION	TED TO INIT	IALLY	FOLLOWUP	PHONE  Signal  AGENCY COL	CODE
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT REFERRED TO: REPORT AGENCY  CENTRAL TERS  CONTACT  RICH HILLS  PRIMARY D.W.M. INVESTIGATOR  NO FURTHER ACTION  LI  COMMENTS:	TED TO INIT	IALLY ENV. HEAL	FOLLOWUP DATE	PHONE SELUTION AGENCY COL	CODE
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT REFERRED TO: REPORT AGENCY  CENTRAL TERS  CONTACT  RICH HILLS  PRIMARY D.W.M. INVESTIGATOR  NO FURTHER ACTION  LI  COMMENTS:  12:30 AM. SPILL  CORRESTED TO C.C.N.	TED TO INIT	ENV HEAL	FOLLOWUP DATE	PHONE SEL AGENCY COL	CODE  CODE  LLL  CODE  LLL  CODE  LLL  APTO COMPOUNDS
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT REFERRED TO: REPORT AGENCY  CENTRAL TERS  CONTACT  RICH HILLS  PRIMARY D.W.M. INVESTIGATOR  NO FURTHER ACTION  LI  COMMENTS:  12:30 AM. SPILL  CORRESTED TO C.C.N.	TED TO INIT	ENV HEAL	FOLLOWUP DATE	PHONE SEL AGENCY COL	CODE  CODE  LLL  CODE  LLL  CODE  LLL  APTO COMPOUNDS
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT HEFERRED TO: REPORT AGENCY  CENTRAL TERS CONTACT  RICH HILLS  PRIMARY D.W.M. INVESTIGATOR  NO FURTHER ACTION  LI  COMMENTS:  12:30 AM. SPILL	TED TO INIT	ENV HEAL	FOLLOWUP DATE	PHONE SEL AGENCY COL	CODE  CODE  LLL  CODE  LLL  CODE  LLL  APTO COMPOUNDS
SPILL ORIGIN  CAUSE  WATER BODY AFFECTED  ASSOCIATED FIRE AND/OR HAZARDS  INCIDENT HEFERRED TO: REPORT AGENCY  CENTRAL TERS  CONTACT  RICH HILLS  PRIMARY D.W.M. INVESTIGATOR  NO FURTHER ACTION  LI  COMMENTS:  12:30 AM. SPILL  (CONTACT)  (CONT	TED TO INIT	ENV HEAL	FOLLOWUP DATE	PHONE SEL AGENCY COL	CODE  CODE  LLL  CODE  LLL  CODE  LLL  APTO COMPOUNDS

Form DWM-001 6/82

### NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION D' SION OF WASTE MANAGEMENT

WEKER + CO. SPILL

10-25-82 1315 CALLED MERCICA CO. AND SPOKE TO TOM PULCHAL ENV. CONTROL MANAGER, ABOUT THE MATTAN SAID THAT COMPOUND WAS TO MERCAPTO-MADANIAN L 4-METHYL THIAZOLE, THE HAPPENED THE MATERIAL WAS FLUSHED INTO THITIE INTERNAL EQUAL IZATION - NEUTRALIZATION TREATMENT SYSTEM. HE ESTI-MATED THAT THE SPILL INVOLVED 150-200 GALLONS, AFTER TREATMENT THE MATERIAL WAS DISCHARGED LINDEN- RUSELLE STWERAGE AUTHORITY SYSTEM, HIS 201-574-5361. PHONE 15 14 10 25-82 1325 PHONE # 201-826-3100 CALLED RICH HILLS OF THE Y LOST E JASTAIS REGIONAL ENVIRONMENTAL HEALTH AGENCY FOR MORE INFORMATION SAID THAT THEIR HE INVESTIGATOR SENT OUT · WAS AFTER CALLS WERE RECEIVED AROUND 130AM. CONCERNING ODORS IN SAYKEVILLE - OLD BRIDGE AREA. MIRCAPTO TYPE EVIDENT IN THE SMERL VICLE - OLD BRIDGE ODORS WERE PREVIOUS EXPERIENCE THE FKOM INVESTIGNTOR REALIZED THAT THIS COOR WAS CHARACTERISTIC HE TRAVELLED NORTH MERCK + CO. AND COULD MOKE OF THE SAME ODOKS AS MY TRAVELLED WHEN HE ARRIVED AT MERCK +CO. HE PICKED ブルア ODOR IN FRONT OF THE PLANT 111 WENT INTO 1115 PLANT AND WAS TAKEN TO THE SPILL SITE IT WAS IN THE AREN BY BLDG. 59 08 THERE WAS APPROXIMATELY 200 GALLONS OF STILLED MATERIAL, HE WAS TOLD THAT A COMPUTER WALVE MALFUNCTION WAS RESPONSIBLE FOR THE

VISION OF WASTE MANAGEMENT

D.W.M. ASSIGNED CASE NUMBER	82-10-25-001	Page 2 of 2
DATE 10-25-82	TIME 16 05	D.W.M. ID NO 2-03

ب مدمنون				·		<u> </u>		
1555	10-25-	85 BE	FEKKE	- D 11	FORMA	NOITE	TO RE	SSIE
JETE	2 0 = 0	RAHWAY	BU 0	FHE	ALTH	35-105	5005-12	·
1605	10 25-82	REF	EKRED	INFO	CMATIO	NTO	MAK-Y	
13051	3-1 OF	RAHWA	14 VAL	LEYS	STURK	AGE A	UT 640121	· ۲ У
	***			·		,		
								· · ·
				,		· .		
						***************************************		
					·			· ·
				<del></del>				
								· · · · · · · · · · · · · · · · · · ·
					<del></del> -			
		- <del> </del>		`				
	-			<del></del>		<del></del>		<del></del>
							<del></del>	
	,						· .	
				·				
	· · · · · · · · · · · · · · · · · · ·							
			· 					
1				•				٠٠٠.
•				<del>"                                    </del>				
							7. d	· · · · · · · · · · · · · · · · · · ·
				·		<del></del>		
		<del></del>	· · · · · · · · · · · · · · · · · · ·		<del></del>		<del></del>	
							· · · · · · · · · · · · · · · · · · ·	
		·			`			tete svi



### MERCK CHEMICAL MANUFACTURING DIVISION

( Wister.

MERCK & CO., INC. P.O. BOX 2000 RAHWAY, NEW JERSEY 07065 (201) 574-4000

November 4, 1982

Mr. Tom Allen
State of New Jersey
Division of Waste Management
120 Route 156
Yardville, New Jersey 08620

Dear Mr. Allen,

This is to confirm our telephone conversation regarding the chemical sewer line break which occurred on 11/2/82 at our Rahway site. The damaged sewer line was one of two underground mains which carries effluent from a lift station to the on site equalization/neutralization area. At approximately 10:30 PM, pavement in one area of the plant was found to be cracked with effluent flowing from underground. The entire flow was then directed to the remaining sewer line. The pH of the effluent at the time of the break was 9.1. Though an exact composition is not known, past analyses have shown concentration in the 0-50 ppm range of typical widely used solvents such as toluene, methanol, acetone etc.. An excavation has been made and the sewer main will be repaired.

Should you have any further questions regarding this matter, please give me a call at (201) 574-5361.

Very truly yours,

Tre Purche

Tom Puchalski Manager Environmental Control

/ms

cc: Mr. Robert Kobiella, U.S. EPA, Emergency Response Section Mr. Paul Harvey, N.J. DEP, Div. of Water Resources

### INCIDENT REPORT

D.W.M. ASSIGNED CASE NUMBER P21-1/1/1-10131-10	OIST HOT LINE		MUEXED CI
DATE TIME (Military)	D,W.M.	 йо йо. 1 н <i>И</i>	10141
INCIDENT REPORTED BY:		S A THE CHARGE COLOR C	Manager and a service of a service and a ser
	angastanangan an daga mengadi digunangan anga ngga ngga dak mari 2 amil di burin	PHONE /	74-5361
AFFILIATION A LA LA LA		[ 0,0 / -0	CODE
STREET Merk & Co			
CITY	and the second second	STAIE	ZIP CODE
Rahway	agailleagh de lact a deileachtaine, an 1860 an ann an 1970 an 1970.	and the same of th	nd chines ( ) due to w ( ) ( ) as himself when the second that will be defined
INCIDENT LOCATION: /	Namen 1869 – Andrews (State and Andrews (State - 1864) – 1864)	PHONE	
Meiriki 191 (Clo)	1 1 1 1 1 1	TOTA VERGE	O'M ROHIZ
111261E1 LIVICIOILIN 101481 1 1 1 1 1 1 1	COUNTY	STATE	
Rigihimay 1 1 1 1 1 1 1 1 1	<u> </u>		AND A POLICE OF THE PROPERTY O
SOURCE OF SPILLED AND/OR DISCHARGED SUBSTANCE:	Confirmed [ ] All	in the second of	ore Than I Source []
COMPANY NAME  Perk + Co		PHONE	
CONTACT  SAA	TTLE		
STREET		DEP COMPAN	LY NO.
CITY	COUNTY	STATE	ZIP CODE
SUSPECTED SPILLED AND/OR DISCHARGED SUBSTANCE:	Confirmed	Alloyed L	More Than 2 Substances
		and the state of t	SUBSTANCE NO.
1. 1015C. SOLVENTS - See below UNITS	A/P/E	1 1	S/L/G/M
unk !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!		<u></u>	SUBSTANCE NO.
2. AMOUNT SPILLED UNITS	A/P/E		S/L/G/M
		M. Sanker Charactery at 1 - was about \$1.00 Miles	
DATE OF INCIDENT TIME (Military) TEMP	WEATHER	GUIM	(Dir. & Vol.)
SPILL ORIGIN			CODE
CAUSE 4/9 Transper line		MARKA B	CODE
WATER BODY AFFECTED			CODE
None ASSOCIATED FIRE AND/OR HAZARDS	<u> </u>		
	and a second	القام ووالمعاومة فالكا كالأواسطام مراجد عن مقدم محواسات والبقيد الكا	Banada kan arawa ari
INCIDENT REFERRED TO:		PHONE	un en 'n in in en en en en 'n het 124 ek 140 ok 160 ok houde de en delak beskepte Westendar und e
		AGENCY CO	DE .
CONTACT			
PRIMARY D.W.M. INVESTIGATOR	Ja FOLLO	WUP	
HO FURTHER ACTION	DATE		
<u> </u>			
MAENTS:		akana kanaka	
My waste stream line between	en equali.	LATION B	issins and
list station ruptured, forcin	ng liquil:	To Surfa	ice. Flor
Las Diverted upon awareness			
material to by miso. Solvents.	•		
Line to be excavated reggragate	• •	Λ	Carl Hearth office
	•	\ ,	Į.
Mr. Vuchalski will regart incided	I TO SIM	4/301	Jeige responding





### MERCK CHEMICAL MANUFACTURING DIVISION

MERCK & CO., INC. P.O. BOX 2000 RAHWAY, NEW

RAHWAY, NEW JERSEY 07065

(201) 574-4000

February 13, 1980

Mr. Dennis Faherty Hazardous Substances Control 120 Route 156 Yardville, New Jersey 08620

Dear Sir:

On February 7, 1980 a leak developed at the weld on a 20,000 gallon sulfuric acid storage tank. Approximately 50 gallons acid spilled to the ground, where it was immediately neutralized with soda ash by the emergency spill protection crew. The entire spill area drains to the chemical sewer system. Mr. Charles Johnson, Raritan Interstate Basin, observed the neutralization process.

The tank has been temporarily repaired and is back in service on a temporary basis. A new storage tank will be installed nearby within two months and the existing tank will be removed as scrap.

While we regret the spill, it is noteworthy to report on the response by the fire emergency spill crew. Major spills can be minimized by their effective efforts.

Yours very truly,

B. W. Hartelius

Environmental Control Manager

BWH:tlr

cc: Mr. Charles Johnson
Division of Water Resources
Raritan Interstate Basin
P. O. Box CN-029
Trenton, New Jersey 08625





by Ansel Adams in This Is the American Earth

### SIERRA CLUB

250 West 57th Street • New York, N.Y. 10019

STATE GET OF EMMODIFICATION OF VINITED POLICE IN PROPERTY OF VINITED CONTROL OF VINITED C

Mr. Dan Marchishian Environmental Protection Agency Federal Water Quality Administration Edison, New Jersey 08817

Dear Mr. Marchishian:

This is to confirm our telephone conversation of today concerning cyanide discharges by the Merck Company of Rahway, New Jersey.

We were informed yesterday that the following amounts of cyanide, measured in milligrams per liter, were released into the Rahway River over the last few weeks:

.17				. 96
.11				.46
.34			:	.16
.53		,		.25
1.12	•	·		.14
.69				.11
.50				

Our source stated that Building 92, manufacturing TBC, a chemical to kill parasites in chickens, is the originator of these discharges. The above figures represent concentrations for the river. The samples were taken right next to the plant.

We hope this information will help you in your efforts to clean up our waters.

Sincerely,

Karin Wuertz

Kami love

Administrative Assistant Conservation Department

cc - District Office, Army Corps of Engineers, New York City
Mr. John Gaston, New Jersey Department of Environmental Protection

### PRELIMINARY ASSESSMENT FILE SEARCH

NJDEP -
DIVISION OF WATER RESOURCES:
A. Enforcement / Central File
B. Groundwater Central Pre
C. Other
DIVISION OF WASTE MANAGEMENT:
A. HSMA
B. Enforcement / (Central Regin)
C. Solid Waste / (Hazardous Wasto Engineering) - Jim Bell.
ENVIRONMENTAL QUALITY:
A. Air Pollution
B. Pesticides
C. Other
DIVISION OF FISH AND GAME:
OFFICE OF SCIENCE AND RESEARCH:
A. Industrial Survey V lox Tuccille
B. Other
N.J. DEPARTMENT OF HEALTH:
LOCAL AUTHORITIES: (1) Rahway Heath Department, Inspector Buchanan
A. Health Department (2) Linden Health Department, Hr. H. Gavan, Health Office
B. Town or County Clerk
UNITED STATES GOVERNMENT:
A. EPA Paul Elliotis Files (EPA EMERGENCY RESPONSE FILES)
B. other